Index for Volume 88

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "S" indicates September abstract supplement. Publication number P-1998-1026-01O.

Abawi, G. S., S97
Abbas, H. K., S1
Abbasi, P. A., S63
Abdul-Kader, A. M., S134
Abdullah, M. T., S1
Abelmoschus spp., Verticillium wilt, resistance inheritance, S72
Abies religiosa, decline, in Mexico City, S3
Abney, T. S., S113, S115
Aboshosha, S. S., S1
Abou-Zaid, M., 396
Abouzid, A., S1, S82, S122
Abstracts, author index of APS annual and division meeting presentations, S138
Acetobacter diazotrophicus, on sugarcane, strains in Louisiana, S53
Acidovorax avenae, on watermelon, seed detection, S92
Acosta, J., 292
Acosta-Leal, R., S1
Acremonium spp., growth in spaceflight conditions, pathogenicity, S42
—*A. cucurbitacearum*, virulence assessment, colony forming units and plant response, S72
Acuna, I. A., S2
Adams, G. C., 376, S110
Adams, P. D., S2
Adaskaveg, J. E., S29, S62, S84, S107
Adee, E. A., S2
Adrian, M., 472, *740*
Aegerter, B. J., S2
African cassava mosaic virus, detection and identification, immunoassay, 1302
Agama, K., S2
Agaricus sp., green mold, fungus associations, S50
—*A. bisporus*: Trichoderma green mold, aerobiology, S134; Trichoderma green mold, epidemics, S4; *Trichoderma harzianum* association, electron microscopy, S134
Agnew, M., S2
Agrobacterium tumefaciens
—cell morphology in tumors, S53
—oncogenic suppressant, Osa analysis, S16
—T-pilus, genetic and biochemical characterization, S51
Agrostis stolonifera (see also Bentgrass and Turfgrass)
—Rhizoctonia blight, assessment by radiometry, 446
Aigbokhan, E. I., 563
Aist, J. R., S21
Alabouvette, C., 30
Alameda, M., S121
Alarcón, C., 306
Albibi, R., S5
Albugo candida, controlled by bacterium, S89
Alcantara, T., S2
Al-Dahmani, J., S3, S63
Aldwinckle, H. S., S8, S134, S136
Alexander, S. A., S3, S128
Alfalfa
—foliar diseases, sunlight and canopy effect, S115
—*Nectria haematococca* MAK1 gene, S65
—root rot, new in Wyoming, S39
—yield response model, comparison, S111
Alfalfa mosaic virus, Verticillium wilt and cold stress interaction, S64
Ali, S., S114
Alioto, D., 1200
Allan, M. A., S3, S79, S136
Allen, C., S41, S51
Allen, E., S63
Allen, R. I., S22
Allen, T. W., Jr., S3
Alleyne, A. T., S120
Allium porrum (see also Onion)
—bacterial blight, new pathovar, 844
Al-Menoufi, O. A., S25
Almond
—anthracnose, epidemiology in California, S107
—lethal canker, *Phytophthora* spp. implicated, S12
Alonso-Prados, J. L., 520
Al-Rehiayani, S., S3
Alternaria spp., phylogenetics, mitochondrial DNA sequences, S73
—*A. alternata*, on citrus, environmental factors, 1218
—*A. helianthi*, mycoherbicide, adhesive vesicles, S1
—*A. solani*: on potato, primary inoculum source, S108; on tomato, leaf assay for resistance evaluation, S33
—*A. zinniae*, oxygen for control, S102
Alvardo-Rosales, D., S3
Alvarez, A. M., S30
Amador, J. M., S122
Ambrosiella sp., on spruce, bark beetle association, 39
American Phytopathological Society
—abstracts, author index, S138
—annual report, 15
—excellence in extension award, 24
—excellence in teaching award, 25
—fellows, 20
—Lee M. Hutchins award, 25
—Novartis award, 26
—officers, representatives, and committees, 13
—presidential address, 17
—Ruth Allen award, 27
Ames, K. A., S3
Anagnostakis, S. L., 598
Anandalakshmi, R., S3
Anas, O., S4, S66
Andary, C., 1141
Anders, J. M., S19
Anderson, A. J., S42, S47, S48, S62
Anderson, C. M., 456, S4
Anderson, E., S2
Anderson, J. A., S24, S25
Anderson, J. M., 851
Anderson, L. M., S85
Anderson, M. G., S4, S134
Anderson, N. A., S35
Anderson, T. W., S4, S89
Ando, I., 822
Andrade, G. P., S71
Andrejeva, J., 311
Andrews, J. H., S4, S12, S110
Andrianifahanana, M., S82
Andries, C., S4
Angel, J. C., S122
Angwin, P. A., S4
Anisogramma anomala, ascospore
—discharge pattern, 1165
—release factors, 122, S108
Annis, S., S89
Annis, S. L., S131
Ant, *Fusarium oxysporum* dispersal by, 185
Anthurium, blight, pesticide effect on biocontrol, S30
Antibiotics, helvolic and fusidic acids, phytotoxicity, S38
Aphanomyces spp.
—*A. cochlioides*, on sugar beet, population structure, S24
—*A. euteiches*: on pea, diversity, 915; on pea, oospores and enzymatic activity, 992; strains, variation, 52, *272*
Aphelenchoides ritzema-bosi, in Colorado, S107
Apoptosis (see Programmed cell death)
Appel, D. N., S88
Apple
—autumnal shoot blight, in West Virginia, S132
—blue mold: biocontrol and resistance mechanisms, S21; control by *Candida sake*, 960
—fire blight: antagonists in inoculum preparation, 506; migration in host tissue, 416
—postharvest decay: biocontrol and factors, S18; *Pichia anomala* for *Botrytis cinerea*, 335
—promoter gene transfer from potato to apple rootstock, S134
—replant disease, microbial complex in Washington, 930
—scab: ascospore discharge factors, 902; endochitinase transgenic lines, resistance, S136
—soil microarthropod, IPM relation, S4
Apple stem grooving virus, chemotherapy, PCR detection, S43
Apricot latent virus, on stone fruits, S66
Arabidopsis, bacterial speck, systemic acquired resistance, 450
Arabidopsis thaliana
—bacterial wilt, resistance, 330
—cauliflower mosaic virus on, resistance-breakage, S2
Aragaki, M., S45, S90
Aranda, M. A., 520
Arce-Johnson, P., 306
Ardales, E. Y., S4
Arevalo, M., S11
Aris, V. M., S5
Armengol, J., S72
Armillaria spp., nuclear status and genome size of isolates, S47
—*A. cepistipes*, mating with North American biological species, S60
Armstrong, S. D., S128
Arumuganathan, K., S47
Asensio, M., 198
Ash
—arbuscular mycorrhizal fungi, Arizona, S86
—phytoplasma, leafhopper carriers in New York, S38
—witches'-broom, yellows relation, S93
—yellows, detection in Great Plains and Rocky Mountains, S93
Aspen (see also *Populus tremuloides*)
—thinning, insects, and diseases, S95
Aspergillus spp.
—*A. flavus*: aerial sampling, in Arizona, S8; alpha-amylase deficient mutant, S28; alpha-amylase production, corn trypsin inhibitor and host resistance, S16; antifungal activity against, peptide, S65; on corn, kernel resistance and protein, 276; other *Aspergillus* spp., distribution in Arizona, S10
—*A. parasiticus*, averufin-accumulating mutant, complementation, S98
Aspidistra elator, southern blight, new disease, S61
Astua-Monge, G., S5, S20
Avena fatua, in wheat, wheat leaf rust severity affected by, 708
Avila, F. J., 428
Aycock, R., 29
Ayllón, M. A., 685
Azospirillum, arbuscular mycorrhizal fungi synergistic to, in tissue culture, S82

Baayen, R. P., 30
Bachman, M. S., S3
Bacillus subtilis, foliar fungal pathogens controlled by, S60

Backman, P. A., S27
Bacon, C. W., S32
Bai, J. F., S91, S114
Bailey, B. A., 185
Bailey, J. E., S5, S53
Baizhanov, M. K., S89
Baker, B. J., S39
Baker, F. A., S5
Balbalian, C. J., S128
Balesdent, M. H., 1210
Ball, J. J., S93
Banana
—burrowing nematode, phenol effect in roots, 1141
—Fusarium wilt: genetic variation in vegetative compatibility groups, 1283; resistance in Florida, S72
—Sigatoka and Cordana leaf spot, keyplex effect, S122
Banana streak badnavirus, detection with PCR assay, S20
Bandla, M. D., 98
Banks, D., S5
Bannwart, D. L., S5
Bao, Y., S5, S52
Barak, J. D., S6
Barash, I., S6
Barbercheck, M. E., S66
Barczynska, H., S28
Barley
—covered smut, mating inhibitor, pheromone, 456
—*Drechslera teres*, induced resistance, 698
—Fusarium head blight, genotype evaluation, S27
—leaf rust, resistance genes *Rph9* and *Rph12*, 76
—mildew resistance genes, chitinase genes affected by, S50
—net and spot blotch, resistance sources, S85
—phylloplane, *Rhodosporidium toruloides*, adhesion, S110
—powdery mildew, resistance genes, cell death pathways, S103
—rust, prehaustorial resistance, inappropriate rusts, 856
—scald, host calcium relation, S65
—stripe rust, resistance and genetic mapping of genes, S16
—systemic resistance induction, plant activators and *Pantoea agglomerans*, S10
Barley stripe mosaic virus
—bacterial *rnc*70 gene, S119
—on barley, pathogenicity gene, S24
Barley yellow dwarf virus
—aphid complex, field resistance in Alabama, S91
—in oat: 17-kDa protein and RNA, localization, 1031; phloem cells, cover photo, October; tolerance, loci, 410; transgenic tolerance, 1013
—PAV serotype variants, distribution in host species, 818
—wheatgrass-derived resistance, wheat alien chromosome substitution line, 851
Barnes, C. W., S6
Bartlett, D. W., S6
Bassi, B., S18
Batista, U. G., S20, *1116*
Batten, J. S., S6
Baudoin, A., S128
Bauer, D. W., S134
Baum, N. A., S62
Bauske, E. M., S82
Bautista, M. de J., S121
Bayramian, L. A., S6
Beach, S., S2
Beachy, R. N., 1262, S41, S58, S69, S71, S75
Bean (see also *Phaseolus vulgaris*)
—nematodes, in Missouri, S22
—root rot, control in Minnesota, S26
Bean calico mosaic virus, characterization, S11
Bean common mosaic virus
—on guar, characteristics, S125
—screening resistance method, S86
Bean golden mosaic virus, resistance, monoclonal antibody evaluation, S122
Bean leafroll virus, detection in aphids, S52
Beattie, G. A., S116
Beaulieu, C., 442
Beaver, J., S121, S122
Becherer, H. E., S12
Becker, C. M., S6, S136
Becker, D. M., S7
Becker, J. O., S7, S42, S83, S96
Beckman, C., 28
Becton, C. M., S77
Beer, S. V., S104, S134
Beet curly top virus, Worland strain, specificity elements, 1174
Beet soilborne mosaic virus, beet necrotic yellow vein virus cross-protection, S57
Beet western yellows virus, component of California carrot motley dwarf complex, RNA, 164
Beet yellow stunt virus, coat protein gene, characterization, 1040
Behe, C. G., S31
Bekal, S., S7
Bélanger, R. R., 396, S99
Bell, A. A., 252, S7, S108
Bell, J., 862
Bell, M. L., S60
Belonolaimus longicaudatus
—on cotton, root growth and yield effect, S19
—host reactions in California, S7
Beltran, J. D., 556, S7
Bemisia spp.
—*B. argentifolii*, tomato chlorosis virus vector, 402
—*B. tabaci*: Sinaloa tomato leaf curl virus vector, new subgroup, 648; tomato chlorosis virus vector, 402; vector for tomato-infecting geminiviruses, in Puerto Rico, S120
Bender, C., S46, S102, S104
Benhamou, N., 234, 605, S99
Benjama, A., 844
Bennans, T., S82
Bennett, M. A., S99
Benscher, D., S72
Benson, D. M., S13, S42, S124
Bentgrass (see also *Agrostis stolonifera* and Turfgrass)
—rhizosphere and phylloplane of, *Trichoderma* ecology, 129
Bentley, S., 30, 1283
Benyagoub, M., 605
Berger, P. H., S34, S59
Berger, R. D., 382, S83
Berner, D. K., 563, S7
Bernier, C. C., S110
Bernier, L., S9, S24, S30, S101
Bertaccini, A., 1359
Berthier-Schaad, Y., S29
Bertrandy, J., 1210
Bessis, R., 472, *740*
Best, V. M., S7, S61
Beuselinck, P., S26
Beyer, D. M., S4, S14, S50, S134
Bhat, A. I., S7
Bhat, R. G., S8
Bhattacharyya, M. K., S26
Bianchi, M. L., S91
Biggerstaff, C. M., S8
Bijman, V. P., S64
Biological control
—bacteria: for *Erwinia amylovora*, inoculum preparation, 506; growth chambers and canopy environmental data, S69
—binucleate *Rhizoctonia* for *Rhizoctonia solani* on soybean, 1056
—*Candida saitoana* for *Botrytis cinerea* on apple, 282
—*Candida sake* for blue mold of apple, 960
—compost and water extracts for cucumber and Arabidopsis diseases, 450
—*Curvularia tuberculata* and *C. oryzae* on, Cyperaceae weeds, S135
—fungus for soybean cyst nematode, 465
—*Fusarium* for *Erythroxylum coca*, 185
—*Fusarium culmorum* on *Hydrilla*, 382
—microbial natural products for plant pathogens and insects, S62
—nematode-trapping fungi for *Meloidogyne javanica*, 344
—*Pichia anomala* to *Botrytis cinerea* on apple, 335
—postharvest diseases of apple and pear, *Pseudomonas* antagonist, S130
—*Pseudomonas fluorescens* to tobacco necrosis virus, salicylic acid biosynthetic genes, 678
—rhizobacteria and pathogens on cucumber, 1158
—soilborne diseases, past and next twenty years, S131
—*Talaromyces flavus*, glucose oxidase localization, 576
—tomato and cherry crown gall, antibiosis, S45
—on tomato and pepper soilborne diseases, *Gliocladium* and *Burkholderia* spp., S57
—*Trichoderma longibrachiatum* to *Pythium ultimum*, on cucumber, 673
—*Ulocladium* and *Gliocladium* for *Botrytis cinerea* in cyclamen, 568
Bipolaris spp.
—*B. maydis*: on corn, race T, factors, S7; on corn, race T toxin, light and malate effect, 556
—*B. sorkiniana*: on rice, blast suppression, 735; spore sampling platform, helium balloon, S115; on tall fescue, suppression by *Stenotrophomonas maltophilia*, S119
Bird, J., S42, S120
Black currant reversion virus, synthetic phage display, 230
Blackmon, B. P., S104
Blaich, R., S79
Blank, C. A., S106
Blankenship, J. D., S8
Blastophaga psenes, endosepsis relation, in Calimyrna fig, 637
Blodgett, J. T., 245
Blomquist, C. L., S8
Blowers, A., S83
Blumeria graminis, on wheat, resistance gene, 144
Boch, J., S91
Bock, C. H., S8
Bockelman, H., S85
Bockus, W. W., S110
Bodaghi, S., S8
Boehm, M. J., S30, S47, S118
Bogs, J., 416
Boland, G. J., 788, S33, S93
Bolar, J. P., S8
Bollen, G. J., 764
Bollero, G., S132
Bommarito, S. G., S9
Bonants, P. J. M., 922
Bond, J. P., S9
Bond, W. P., S9
Bonde, M. R., S9, S29, S70, S131
Bonello, P., S9
Borbón, J., 621
Borchardt, D. S., 322
Bordas, A. C., S9
Borek, M., S122
Borovkova, I. G., 76
Boscia, D., 198
Bostock, R. M., S58
Bothast, R. J., S118
Bothner, B., S58
Botrytis cinerea
—on apple: antagonism to, 335; postharvest decay, biocontrol by *Candida*, 282
—biocontrol, screening system, S57
—conidia, resveratrol oxidation, 472, *740*
—on cyclamen, biocontrol with *Ulocladium* and *Gliocladium*, S68

—fungicide and horticultural oil, S64
—on grape, control with carbonate and bicarbonate salts, S64
Bourassa, M., S9
Bourland, F. M., S72
Bouzar, H., 33
Bowen, K. L., S9
Bowers, J. H., S10, S128
Boyd, M. L., 260, S10
Bozarth, R. F., S32
Bracewell, C. R., S10, S124
Brachiaria brizantha, leaf spot and endophytic fungus, S46
Bradley, C. A., S10
Brainard, K. A., S13
Brakke, M. K., 872
Brandl, M. T., 1149
Brassica napus, *Leptosphaeria maculans*, avirulence locus mapping, 1068
Braun, E. J., 525, S8
Braun, K., S10
Braun, U., S134
Braun-Kiewnick, A., S10
Brayford, D., 30
Bremer, E., S11
Bremia lactucae
—on lettuce, solar radiation effect, S99
—spore release, light initiation and humidity, S86
—sporulation, air and humidity effect, S86
Breuil, C., S30, S38, S47, S94
Breuning, G., S31
Breynia distichia, web blight, new host, S122
Briere, S. C., S11, S86
Briggs, K. G., S65
Briggs, S. P., S65
Brito, J. A., S11
Britz, H., S97
Brlansky, R. H., S54
Brodie, B. B., S11
Broers, L. H. M., S77, S78
Brome mosaic virus, in barley, cell restriction, S22
Brome streak mosaic virus, wheat streak mosaic virus relation, not *Rymovirus*, 782
Bromoviridae, virus defective movement, in *Nicotiana benthamiana*, 666
Brown, C. M., 410
Brown, E. W., S129
Brown, G. E., S11
Brown, J. K., 658, S11, S42, S92, S120
Brown, M. W., S43
Brown, R. L., 276, S11, S16, S98
Brown, S. E., S12
Brown, S. K., S8
Browne, G. T., S6, S12, S15
Bruchmüller, I., 416
Bruckart, W. L., S129, S131
Bruton, B. D., 428, S12, S62, S70, S72, S103, S120, S122
Buchanan, R. L., S43
Bucholtz, D. L., 851
Buchwaldt, L., S110
Buck, J. W., S12, S110
Buddenhagen, I. W., 1283
Bukhalid, R. A., S12, S52
Bull, C. T., S9, S109
Bulluck, L. R., III, S12
Buntin, G. D., S91
Burgess, L. W., S135
Burk, J. K., S12
Burkholderia spp.
—*B. cepacia*, on pea, biocontrol agent, S37
—*B. vietnamiensis*, biocontrol by, antibiotic production, S46
Burns, J. R., S13, S124
Burpee, L. L., 446, S33, S90
Burr, J. A., S97
Burr, T., S49, S64, S98
Busch, R. H., S56
Bushnell, W. R., S73
Bustamante, E., S13
Butler Carver, L. M., S13, S124
Byrne, A., S30
Byrne, J. M., S134

Cabbage
—clone, putative translation initiation factor, S1
—white mold, wound as predisposing factor, S41
Cacao, microbial ecology, biocontrol potential, S37
Cactodera betulae, cyst nematode relations, DNA, S28
Cadle, M. M., S106
Calderon-Urrea, A. A., S39
Calimyrna (see also *Ficus carica*)
—caprification and fig endosepsis, cover photo, July
Callahan, A., S131
Callahan, A. M., S77
Callery, M. D., S41
Cambra, M., 198
Cambraia, K. L., S28
Campbell, C. L., S25, S67, S71
Campbell, K. A. G., 1078
Campbell, L. R., 98, S97
Camper, N. D., S70
Camponogara, A., 673
Canaday, C. H., S124
Candida spp.
—*C. saitoana*, biocontrol agent for *Botrytis* on apple, postharvest, 282
—*C. sake*, apple blue mold control, preharvest application, 960
Candresse, T., 198
Cannon, J. M., S17
Canola
—Alternaria black rot, in North Dakota, S112
—disease survey in North Dakota and Minnesota, S52
—Sclerotinia stem rot, in North Dakota, S112
Cappaert, M. R., S106
Capsicum (see Pepper)
Cardenas, J., S13
Carey, D. W., S45
Carey, W. A., S26
Carisse, O., 605
Carling, D. E., 366, S13
Carlson, J. D., S23
Carlton, W. M., 525
Carr, R. V., S130
Carras, M. M., S132
Carris, L. M., 260, S22
Carroll, R. B., S84, S132
Carrot
—aster yellows, preharvest benomyl spray and storage, S117
—motley dwarf complex, beet western yellows virus associated, 164
Carson, M. L., S24, S28
Carsten, L., S4, S13
Carter, D. A., S13
Caruso, F. L., S13
Carvalho, C. M., S13
Carver, T. L. W., S103
Cassava mosaic virus, comparison in Uganda and Ivory Coast, S71
Castañeda, A., S14
Castillo, P., 828
Castlebury, L. A., S19
Castro, J., 306
Catal, M., S110
Catlin, N. J., S14, S134
Cauliflower, Verticillium wilt
—crop rotation and irrigation effect, 1046
—disease management, 1108
Cazorla, F. M., 614
Cecidophyopsis ribis, black currant reversion vector, 230
Celio, G. J., 105, S135
Centaurea solstitialis, seedling pathogens, in California, S98
Cephalosporium spp.
—*C. gramineum*: on wheat, GUS-transformed strain, S107; on wheat, seed transmission, S106
—*C. maydis*: on corn, variation in Egypt, S103; pathogenic variation, S25
Ceratocystis polonica, on spruce, bark beetle association, 39
Cercospora spp.
—*C. sojina*, on soybean, CO_2 and infection, S74
—*C. zeae-maydis*: on corn, resistance inheritance, 972; on corn, sibling species, 1269
Cercosporella spp., taxonomy, *Ramularia* and other genera compared to, S134
Cercosporin
—biodegradation by bacteria, S126
—microbial detoxification, S64
Ceresini, P. C., S14
Cevik, B., S14
Chakraborty, S., S14, S70, S98
Chaloux, P. H., S129
Chambers, M., S11
Chandramohan, S., S15
Chang, C.-J., 1347
Chang, K. F., S94
Changa, C. M., S15
Channa Reddy, C., S74
Chao, C. T., S15
Charest, P. M., 359
Charudattan, R., 382, S15, S80, S83, S88
Chase, T. E., S115
Chatterjee, S. C., S89
Chauhan, R. S., S15
Chellemi, D. O., S63
Chen, B., 598
Chen, C., 1179
Chen, J. (Fla.), S5
Chen, J. (N.Mex.), S109
Chen, L., S41
Chen, S. Y., S16
Chen, T. A., 1367
Chen, W., S62, S115
Chen, W.-Q., 856
Chen, X., S16, S69
Chen, X. M., S16, S81
Chen, Y. D., 1367
Chen, Z.-Y., 276, S11, S16
Cheng, W., S62
Cheng, Z.-M., S35
Chernushevich, I. V., S111
Cherry (see also *Prunus* spp.)
—postharvest fruit decay, molecular detection, S29
—vessel occlusions, pectin secretion, 494
—western X-disease, outbreak in California, S91
Chesnokova, O. N., S16
Chessin, M., S16
Chestnut
—blight, resistance and chitinase induction, in hybrids, S80
—ds-RNA, demographic analysis, S20
Chin, C.-K., S94
Chino del tomato virus, molecular characterization, S11
Chiri, A. M., S102
Chittoor, J., S50
Chitwood, D. J., S16
Cho, J. D., S58
Cho, J. J., S46
Cho, W. D., S43
Choi, I.-R., 782, S30, S85
Choi, J. J., S17, S48
Choi, S., S91, S114
Choi, W.-B., 58, S17
Choi, Y. M., S126
Chong, S. K., S56
Chongo, G., S110
Christ, B. J., S54, S55, S74
Christian, D. P., S6
Chu, F.-H., 351

Chu, F. S., S114
Chun, S.-C., 1255
Chun, W., S17, S72
Chung, S. Y., S12
Churchill, A. C. L., S17
Cicer arietinum
—Ascochyta blight, phenology on debris in Spain, 983
—Fusarium wilt, factors, 1338
—*Pratylenchus thornei* and *Fusarium oxysporum* interaction, 828
Cintas, N. A., S17, S106
Circulifer tenellus, *Spiroplasma citri* vector, symposium, 1351
Citrus
—blight, xylem plugging, S54
—brown spot: environmental factors, 1218; outbreaks in Florida, 724
—canker, gene families, in *Xanthomonas*, S14
—green mold: carbonate and bicarbonate salts for control, S83; control by syringomycin E, S109
—*Phytophthora citrophthora* and *P. parasitica*, seasonal pattern infection in California, S22
—*Phytophthora* spp. on, root histology, 389
—stubborn disease, detection and yield loss, S69
Citrus tristeza virus
—biolistic inoculation, S38
—citrus aphid relation, infection pattern in Costa Rica and Dominican Republic, 621
—field evaluation in California, S72
—in grapefruit, cross-protection, S73
—management in Texas, S122
—RNA, molecular variability, 685
—RNA polymerase in strains, S14
—survey methods, 715
Citrus yellow mosaic badnavirus, citrus mealybug vector, S31
Ciuffetti, L., S78
Cladosporium caryigenum, on pecan
—lesion development factors, 1294
—resistance and infection stage, S10
Claflin, L. E., S66
Clark, C. A., 1179, S17, S55
Clark, E., 1149
Clark, M. F., S8
Clark, S. L., S9, S17
Clarke, B. B., S137
Clavibacter michiganensis
—on four-o'clock, hypersensitive response, 306
—genomic fingerprinting, S12
—identification by genomic fingerprinting, 862
—on potato: detection procedure, S52; PCR ELISA detection, S63
—on tomato: assay, S8; ingress through hydathodes, 525
Claviceps spp., ergot alkaloid biosynthesis genes, *Neotyphodium* comparison, S133
—*C. africana*: in sorghum, ergot alkaloid detection, S81; in sorghum, molecular characterization, S132
—*C. purpurea*: peptide synthetase gene, ergopeptine biosynthesis, S131; on rye, extracellular catalase secretion, role in disease, 744; in rye, xylanolyptic system, cytology, 1020; on rye ovary, anticatalase epitopes, cover photo, August
Clement, D. L., S57
Cleveland, T. E., 276, S11, S16, S53, S65, S98
Cloud, G., S18, S124
Coates, S. T., 972
Cochran, A. J., S115
Coconut
—red ring disease, survey in Puerto Rico, S122
—Tinangaja, detection by RNA extraction and electrophoresis, S123
—tinangaja viroid: detection, S93; field diagnosis in palm, 774
Coddington, A., 30
Coffee ringspot virus, new Brazilian isolates, S13
Coffeen, W. C., S18
Cohen, M., S73
Colas, V., 205
Colburn, G. C., S18
Colletotrichum spp.: on citrus, allozyme analysis, S104; on postharvest fruits in Brazil, molecular studies, S70
—*C. acutatum*: conidia, splash dispersal and cover crop effect, 536; genetic marker, segregation, S34
—*C. gloeosporioides*: on anemone and strawberry, comparison, S29; on *Stylosanthes scabra*, race frequency, S14; on yam, glycoproteins, S120
—*C. graminicola*, on sorghum, genetic structure, 1087
—*C. lindemuthianum*: on bean, induced resistance, 359; on bean, Mexican isolate characterization, 292
—*C. orbiculare*, on cucumber, systemic acquired resistance, 450
Collins, D. P., S18
Collins, N., S41, S87, S95
Colocasia esculenta, leaf blight
—evaluation in Hawaii, S46
—resistance evaluation, S123
Colón-Garay, J., S120
Competition, interaction analysis, de Wit models, letter to editor, 873
Compost, resistance induced by, specificity, S49
Condon, J. M., 70
Conifer, needle fungi, DNA oligonucleotide probes for detection, S110
Conn, K., S52
Conway, W. S., S18, S43
Cook, D. D., S62
Cook, D. L., S85
Cook, M. J., S18
Cook, R. J., S80
Cooksey, D. A., S52, S76
Cooper, B., 666
Copes, W. E., S125
Coplin, D. L., S18, S36
Corn
—aflatoxin production, planting date and harvest moisture effect, S90
—*Aspergillus flavus*: on kernels, protein association, 276; localization in ears, S98
—*Bipolaris maydis*, race T toxin, light and malate effect, 556
—*Cochliobolus carbonum* race 1, molecular basis, S65
—defoliation, yield effect, S2
—*Fusarium* spp., fumonisin production, S112
—genetic variation in germplasm, RAPD-PCR markers, aflatoxin, S53
—glossy mutants, bacterial colonization, S116
—gray leaf development, narrow rows, S132
—gray leaf spot: disease severity using computers, S117; fungicides, S116; photosynthetic stress-translocation balance concept, S113; resistance inheritance, 972; sibling species of *Cercospora*, 1269
—kernel epicuticular wax, antifungal components in, S32
—kernel rot, lambsquarter density effect, S84
—leaf positions yield and disease severity, S118
—moniliformin screening, TLC method, S92
—northern leaf blight, tropical and temperate climates, 322
—pathogen detection by analysis of ITS regions, S24
—residue-borne diseases, epidemiology, S112
—root rot, *Pythiogeton* in Korea, S43
—rust, resistance and loci mapping, 1324
—rust resistance, recombination and structural diversity, S41
—rust resistance locus, allelic diversity, S87
—southern rootworm, vector for rhizobacteria, 1248
—stalk residue, *Fusarium* spp. survival, 550
—Stewart's disease: monthly temperature relation, in Iowa, S113; site-specific forecasts, S68
—Stewart's wilt, southern rust, and smut, resistance, S70
Cornus spp., powdery mildew, cleistothecial role in Tennessee, S64
—*C. florida*, powdery mildew, fungicides, S22
Correa, F., S80, S126
Correll, J. C., 30, 465, S19, S34, S55, S126
Corr-Mainini, C., S39
Cortés Castro, M., S120
Cortês, I., 1276
Cortés, M., S122
Cortesi, P., S54
Corylus avellana, blight, ascospore release factors, 122, 1165
Cotten, T. K., 550
Cotton
—Agrobacterium wilt and bronzing, nutrition effect, S7
—angular leaf spot, water soaking, S14
—*Aspergillus flavus*, enzymes and invasive ability, S11
—bacterial blight, gene mapping and resistance, S99
—bacterial endophytes in cultivars, genotype effect, S2
—rhizosphere, bacterial community, herbicide-treated soil, S37
—root-knot nematode and black root rot comparison, temperature effect, S92
—seedling disease management, in Louisiana, S61
Cottonwood, insects and diseases, softwares for rapid recognition, S97
Cotty, P. J., S8, S10
Cover photo
—*Arabidopsis thaliana*, *Ralstonia solanacearum* on leaves of, April
—barley yellow dwarf virus, in oat, October
—Calimyrna fig, caprification and fig endosepsis, July
—*Claviceps purpurea*, on rye, anticatalase epitopes, August
—*Erwinia amylovora* on apple, May
—iris yellow spot virus on plant, December
—*Oidium* sp., on poinsettia, conidial germination, February
—peanut stunt virus, on tobacco protoplasts, November
—*Prunus pensylvanica*, stained tree sections, *Ophiostoma ulmi*, June
—*Striga asiatica*, on sorghum, radicle effects in haustorium, January
—tobacco ringspot virus, in *Xiphinema americanum*, September
—tomato *Pythium* infection, March
Cowger, C., S19
Cowpea mottle virus, in *Vigna*, detection method, S32
Cox, R. M., S49
Coyne, D. P., 730
Cranberry, fruit rot fungi, distribution in Massachusetts, S77
Craven, K. D., S19
Creamer, R., S69
Creswell, T. C., S39
Crippen, D. L., S89
Cronartium spp.
—*C. quercuum*, on slash pine, spatial and temporal stability, S33
—*C. ribicola*: genetic structure, 1187; urediniospores, DNA extraction, S102; on white pine, genetic structure in populations, 1187
Crop residue, stubble-borne pathogens, control tactics, S110
Crosslin, J. M., S36
Crow, W. T., S19
Crowe, F., S19, S89
Cryphonectria parasitica
—on chestnut, RNA occurrence in China and Japan, 811

—growth and sporulation, hypovirus recovery site, S129
—hydrophobin cryparin, virus effect, S59
—hypovirulent strain, hypovirus transmission, 598
—vegetative compatibility genes, hypoviruses in strains of chestnut, S128
—vegetative compatibility groups, hypoviruses, S54
—virus-fungus interaction, S54
Cubeta, M. A., S14, S41
Cucumber
—anthracnose, systemic acquired resistance, 450
—foliar pathogens, ecological association in North Carolina, S71
—leaf spot, incidence in North Carolina, S25
—pathogens and rhizobacteria, mixtures in biological control, 1158
—phytoalexins, flavonoid, silicon-mediated, 396
—*Pythium ultimum*, biocontrol with *Trichoderma*, 673
Cucumber mosaic virus
—aphid transmission phenotype, S67
—on pepper, weed hosts, S38
—replicase-mediated resistance, subgroup, S98
—on *Salvia uliginosa*, S39
—satellite RNA, helper virus, 520
—on tomato, replicase mediated, 1101
—WL1 satellite RNA sequence, S52
Cucurbit
—gummy stem blight, sequence analysis, S83
—Phytophthora fruit rot, cultural practice effect, S60
—powdery mildew, herbarium speciment use, S136
—yellow vine disease, bacterium-like organism, detection, 428
Cucurbita maxima, coumaryl aldehyde from, antifungal, S84
Cuda, J. P., S80
Culbreath, A. K., S33, S127
Cunfer, B. M., S19, S91
Cuppels, D. A., 1094
Curry, K. J., S126
Curtis, M. J., S20
Cvijetkovic, B., S45
Cyathus olla, ligninolytic enzyme system, S82
Cyclamen
—Fusarium wilt, suppression with NaCl, S135
—leaf rot, biocontrol with *Ulocladium* and *Gliocladium*, 568
Cynoglossum officinale, bacteria and herbicide effect, S104
Czapla, T. H., S75
Czosnek, H., 910

Daayf, F., S20
Daboussi, M.-J., 30
Dahal, G., S20
Dallot, S., 198
Dally, E. L., S20, S129
Damann, K. E., S32, S53
Damicone, J. P., S104
Damrongkool, P., S131
Damsteegt, V., S130, S131, S133
D'Arcy, C. J., 1031, S38
Datnoff, L., S80, S126
Daub, M. E., S64, S126
Daughtrey, M., S135
Davelos, A. L., S20, S43
Davies, D. L., S8
Davies, J. S., S11
Davis, J. R., S107
Davis, K. R., 450
Davis, M. J., S20
Davis, R. D., 1283
Davis, R. E., 1372, S20, S80, S129
Davis, R. M., 252, S2, S129
Dawson, W. O., 1040, S46
Deahl, K. L., 939, S129
Dealessi, L., 673
Dean, R. A., S17, S32, S83, S95, S104
de Bruijn, F. J., 862, S61
de Capdeville, G., *1116*, S20, S21
DeCeuster, T. J. J., S49
de Cock, A. W. A. M., 213, 922
Défago, G., 678, S23
de Groot, K. E., 1315
De Haas, B. H., 568
de Kochko, A., S41, S58, S69
De La Torre, R., S21, S55
Delauney, A., S120
Delgado, J., 306
del Rio, L., S21, S110, S115
De Luna, L. Z., S135
Demezas, D., S104
de Nazareno, N. R. X., S112
Dendroctonus rufipennis, on Engelmann spruce, gene relation, S5
de Neergaard, E., 698
DeNoma, J. S., S72
Deom, C. M., 666
Derks, A., 1276
Dery, P. D., S76
Descalzo, R. C., S21
Desilets, H., S102
Desjardins, A. E., S73
Dessens, J. T., 818
Desurmont, C., 1149
Desvoyes, B., S21, S70
de Tomasel, C. M., S107
de Vicente, A., 614
De Wolf, E. D., S21, S29, S115
de Zoeten, G. A., S82
Diabrotica undecimpunctata, *Pseudomonas chloroaphis* vector, in corn, 1248
Diagnosis
—communication and public relations, S117
—digital, in practice, S39
—Oklahoma Plant Doctor and Internet, S41
—web site for plants, landscapes, and pests, S57
Diaporthe phaseolorum, on soybean, molecular identification, 1306
Díaz, E., S120
Dick, W. A., 450
Dickman, M. B., S76
Dickson, D. W., S11, S19, S76
Dickstein, E. R., S67
Didymella spp.
—*D. bryoniae*, on cantaloupe, fungicides, S62
—*D. rabiei*, on chickpea, phenology on debris in Spain, 983
Dileone, J. A., S35, S45, S57
Dill, M. A., S78
Dill-Macky, R., S27, S56
Dinesh-Kumar, S. P., 1013
Ding, X., S22
Ding, X. S., S22, S40
Dirac, M. F., S22
Disease
—diagnosis with digital images, in Wyoming, S11
—new and emerging, status and projection, S132
Dissanayake, N., 530
Ditylenchus dipsaci, distribution in Colorado, S107
Doan, M. C., S22
Dodd, J. L., S113
Dodder, *Colletotrichum* pathogenic to, S13
Dodds, J. A., 514, S8
Dodo, H. W., S73
Domier, L. L., 410, 1031
Donald, P. A., S22
Doney, J. C., S22
Dorfmüller, S., 63
Dorrance, A. E., S22
Doster, M. A., S23
Doucett, K., 265
Douds, D., Jr., S66
Douhan, G. W., S107
Douhan, L. I., S23
Drake, J., S87
Drayton, M. N., S62
Drechslera teres, on barley, induced resistance mechanism, 698
Driever, G. F., S23
Dripps, J. E., S79
Drouillard, D. L., 724
Duan, Y. P., S14, S23, S122
Dubey, T., S23
Ducharme, D. T., S23
Duffus, J. E., 402, 1040, S54
Duffy, B. K., S23
Dufour, J., S24
Duncan, R. R., 1087
Dunez, J., 198
Duniway, J. M., S36, S100
Dunkle, L. D., 1269, S17, S24
Dusabenyagasani, M., 1187, S24
Duthie, J. A., S23, S24, S104
du Toit, L. J., S24, S70
Dyer, A. T., S24
Dysmicoccus spp., pineapple mealybug wilt vector, 1224
Dyson, T., S39

Eager, T. J., S4
Eastburn, D. M., S38
Ebbole, D. J., S33
Echávez-Badel, R., S121
Echinacea spp., *Sclerotinia*, fungicides, S94
Echt, C. S., S102
Edelson, J. V., S24
Edwards, M. C., S24
Effertz, R. J., S24, S25
Egel, D. S., S25
Eggenberger, A. L., S25, S118
Egley, G. H., S1
Eichhornia crassipes, *Cercospora* spp. on, molecular characterization, S88
Eipremnum aureum, *Phytophthora tropicalis*, new disease, S45
Eisenreich, R., S83
Eising, R., 744
El-Abedein, A. Z., S25
El-Allaf, S. M., S25
Elaphomyces granulatus, mammal foraging pattern relation, S6
El-Assiuty, E. M., S25, S103
El-Dakak, A., S25
Elderberry latent virus, genome organization, S48
El-Ghauth, A., 282
Elias, K., 30
ElKaffash, W. M., S25
Elkins, R., 1149
El-Leithy, S., S75
Ellis, J., S41, S87, S95
Ellis, M. A., 536, S26
Elm
—propiconazole residence in wood, determination, S128
—'Valley Forge' cultivar in Dutch elm disease, S45
—vessel occlusions, pectin secretion, 494
Elmer, W. H., S135
El-Morsy, G., 33
El-Shafey, H. A., S25, S103
Elson, M. K., S129
El-Zik, K. M., S99
Emele, L. R., S25
Emery, K. M., S26
Empoasca fabae, on bean, chitinase gene and protein induction, S40
Endophyte, on grass, protective alkaloid expression, S8
Enebak, S. A., S3, S26
English, J. T., S26
English-Loeb, G., S30
Ens, W., S111
Enterobacter cloacae, mutant use in biocontrol, S76
Enterolobium cyclocarpum, decline in Mexico, S88
Epidemics, crop-weed interaction, theory, letter to editor, 180

Epidemiology
—neural network, utility, S29
—spatio-temporal dynamics, factors, letter to editor, 1000
Erbar, C., 416
Erdos, G., S23
Erickson, E. O., S97
Erickson, F. L., S39
Erincik, O., S26
Errata
—vol. 87, no. 6, 628, *740*
—vol. 88, no. 1, 52, *272*
—vol. 88, no. 5, 472, *740*
—vol. 88, no. 9 (Suppl.), *1116*
Erwinia, taxonomy, necrotic and soft-rotting species, S129
Erwinia sp., in tree sap, detection with ELISA, S60
—*E. amylovora*: on apple, colonization, 416; on apple leaf hairs, cover photo, May; enterobacterial GAPDH gene, analysis, S129; harpin, functional domain, S67; on pear and apple, antagonism factors, 506; streptomycin resistance, apple and pear management, S61
—*E. chrysanthemi*, galacturonic acid transport, role of ExuR, S91
—*E. herbicola*, host specificity, gene interactions, S6
Erythroxylum coca, Fusarium wilt
—ant dispersal, 185
—factors, 544
Escherichia coli, on apple, growth and insect transmission, S43
Eshel, A., S27
Eshita, S. M., S45
Esnard, J., S26
Espinosa, B. G., S26
Estabrook, E., 164
Estevez de Jensen, C., S26
Et-touil, K., 1187
Eun, J.-C., S27
Euonymus fortunei, anthracnose, fungicide resistance, S51
Euphorbia heterophylla, powdery mildew, susceptibility, S135
Evans, C. K., S27
Evans, N., S27
Everts, K. L., S27, S130
Exserohilum turcicum, on corn, population structure, S28
Extracts
—antifungal proteins, purification, S40
—tropical plant, antifungal activities, S39
Eyal, Z., S27
Ezra, D., S6
Ezrati, S., S27

Faba bean necrotic yellows virus, aphid transmission, molecular determinants, S29
Faghihi, J., S28
Fahmy, Z. M., S25
Fahnert, M. L., S27
Faivre-Rampant, P., 156
Fajardo, J. E., S27
Fakhoury, A. M., S28
Falk, B. W., 164
Fan, H., S67, S87
Fang, E., S17
Farman, M. L., S15
Farré, J. M., 614
Fauquet, C., 1262, S41, S58, S69, S71
Faure, J.-E., 1101
Fawe, A., 396
Fay, L. D., S101
Febres, V. J., S14
Feliciano, A. J., S28
Felts, D., S27
Fenille, R. C., S50
Fenn, P., S28
Ferguson, L. M., S28
Fernandes, C. D., S14
Fernandez, D., 30
Fernandez, G. E., S13, S124
Ferrandino, F. J., 84, 490
Ferreira, S. A., S31
Ferris, H., 344
Ferris, J. M., S28
Ferris, V. R., S28
Fery, R. L., S89
Festuca arundinacea, endophyte phylogeny, S19
Fetch, T. G., Jr., S28, S85
Ficus carica (see also Calimyrna)
—endosepsis, spread in orchards, 637
Figueira, A. R., S13, S28, S64, S68
Filho, E. R., S113
Finger, F. L., *1116*, S20
Fischer, W., S37
Fisher, G. A., S107
Fisher, K. H., S95
Flanagan, S., S60
Flasinski, S., S5, S22
Fletcher, J., 428, 1351, S75, S80, S95, S102
Flores, H. E., S133
Flores, R., 685
Fogle, D., S98
Foglia, R., 811, S54
Foot-and-mouth disease virus, protease in transgenic tobacco, multiple genes, S56
Forbes, G. A., 265
Ford, R. E., 480
Forest, diseases and canopy gap, S56
Forrer, P. D., S60
Förster, H., S29, S107
Forster, R. L., S86
Forster, R. L. S., 311, S95
Fraile, A., 520
Franc, G. D., S11, S29, S86, S108
Francki, M. G., 851
Francl, L. J., S21, S24, S25, S29, S30, S62, S114, S115
Frank, J. R., S29
Frankliniella occidentalis, on tomato
—protein binding by virus, 63
—protein interaction with tomato spotted wilt virus, 98
Frantzen, J., 180
Franz, A. W. E., S29
Fratamico, P., S43
Fravel, D. R., 185, 544, 576, S51, S130
Frederick, R. D., S9, S29, S70
Frederiksen, R. A., 1087
Freeman, S., S29
Freeman, T. P., 1056, S34
French, R., 782, S30, S85
Friebertshauser, G., S83
Friesen, T., S30, S115
Frohberg, R. C., S84, S116
Fry, W. E., 837, 939, S34, S59
Fukui, R., S30
Fulbright, D. W., 862, S128
Fungicides (general)
—BLITECAST and TOM-CAST comparison, in Mexico, S34
—*Botrytis cinerea* on strawberry, S13
—Doppler particle analyzer, splash droplet characterization, S68
—foliar disease, doses and number of applications, S104
—potato late blight, coordination of trials, S107
—registration update from IR-4, S89
Fungicides (specific)
—benomyl, for citrus postbloom fruit drop, S84
—ELEVATE, *Botrytis* and *monilinia* control in strawberry, grape, almond, and stone fruits, S3
—ELEVATE/DECREE: *Botrytis* and *Monilinia* control, S79; for *Botrytis cinerea* and *Monilinia*, S136
—fludioxonil: broad spectrum seed treatment, S103; seed treatment for crop plants, S81
—strobilurin, from Novartis Crop Protection, S88
—tebuconazole, postharvest diseases of citrus, in Florida, S11
—trifloxystrobin: for apple and grape, S51; behavior and plant effect, S37; on peanut, cucurbits, and vegetables, S18
—triticonazole, seed treatment for cereal bunts and smuts, S48
Fusarium spp.: biocontrol by systemic resistance induction, S130; on Calimyrna fig, endosepsis, 637; in corn fields and grain, biodiversity of species, S32; corn stalk residue, survival, 550; macroconidial differentiation, computer-assisted shape analysis, S79; on soybean, in Argentina, S30
—*F. culmorum*: deoxynivalenol and nivalenol, in rye, 879; spore dispersal, aquatic systems, 382
—*F. graminearum*: on wheat, variation in North Carolina, S93; on wheat, variation sources in screening nurseries, 1078
—*F. moniliforme*: benzoxazinoids, detoxification by, S32; fumonisin B1 biosynthesis, nitrogen concentration, S81; fumonisin biosynthesis, mutant, S81
—*F. oxysporum*: on asparagus, in Washington, S22; on banana, vegetative compatibility group, genetic variation, 1283; *Cannabis* sp. controlled by, S89; on chickpea, factors, 1338; on *Erythroxylum coca*, dispersal by ants, 185; on muskmelon, Japanese strains and variation, 804; parasitic relation to *Melanospora* sp., S36; *Pratylenchus thornei* interaction on chickpea, 828; sporulation, factors, 544; on sugar beet, soil fumigants, S107; on tomato, population genetics and microevolution, S77; on tomato, temporal and spatial spread, S75; on tomato and muskmelon, biocontrol with nonpathogens, S51; vegetative compatibility groups, systematic numbering, 30
—*F. proliferatum*, on asparagus, vegetative compatibility groups, S135
—*F. sambucinum*: on potato, induced resistance, S34; thiabendazole resistance, synthetic peptides, S33
—*F. solani*: on coca, control agent, S1; on kidney bean, chlamydospore factors, 148; on soybean, herbicide effect, S113; on soybean, molecular comparisons to other isolates, S53
—*F. subglutinans*: on conifers, susceptibility in 11 species, S17; on longleaf pine, seed treatment, S3; outcrossing in California, S97

Gabriel, D. W., S14, S23
Gadoury, D. M., 902, S25, S30, S79, S83
Gaeumannomyces graminis, pathogenicity genes, DNA analysis, S74
Gagné, P., S30, S101
Gallegly, M. E., S129
Gallenberg, D., S111
Gallo-Meagher, M., S1
Gally, T., S30, S32
Gal-On, A., 1101
Gang, G., 879
Garcia, S., S75
García-Arenal, F., 520
Garcia-Jimenez, J., S72
Gardan, L., 844
Garling, D. C., S30
Garnsey, S. M., 621, S31, S38, S46
Garraway, M. O., 556, S7
Garre, V., 744
Garrido-Ramirez, E. R., S81
Garry, C. E., S88
Gaskill, D. A., S31
Gates, R. N., S97
Gay, P. A., S31, S73
Ge, X., S3
Geary, B., S31

Geere, I. W., S21
Geider, K., 416
Geiger, H. H., 322, 879
Geiger, J. P., 1141
Geletka, L. M., 598
Geminiviruses, distribution and diversity, Trinidad and Tobago, 1262
Gene
—gene-for-gene coevolution, system stability, letter to editor, 592
—promoter in plant, pathogen activation, S43
—silencing, viral suppressor, in plants, S3
George, M. L. C., 223
Gergerich, R. C., 885, S94, S127
Gerhardt, S. A., 456, S49
Gerik, J. S., S107
Gerlagh, M., 568
German, T. L., S61, S64
Ghabrial, S. A., 92, 1192, S31
Gianfagna, T., S94
Gibb, K. S., S68
Gibberella spp.
—*G. fujikuroi*, mating population, fumonisin and genetic complementation, SI73
—*G. zeae*: ascospores, mass production, S44; on wheat, ascospore development and discharge, S4
Giblin-Davis, R. M., S11
Gibson, P. T., S56
Giesbert, S., 1020
Giesler, L., S69, S102
Gigaspora gigantea, on carrot, signaling and recognition events, S66
Gignac, M., S30, S101
Gilbert, R. D., S32
Gilbertson, R. L., S6, S44, S73, S81
Gilchrist, D. G., S58
Giles, C. G., S79
Gill, R., S32
Gillaspie, A. G., Jr., S32, S125
Gillespie, T. J., S93
Gillette, K. S., S32
Gisi, U., S37
Gitaitis, R. D., S92
Glass, N. L., S58
Glazener, J. A., S130
Gleason, M. L., 525, S8
Glenn, A. E., S32
Glickmann, E., S76
Gliocladium roseum, biocontrol agent for *Botrytis* on cyclamen, 568
Globodera spp., separation by host, S126
Goeke, S. C., S58
Goeke-Clifton, S., S126
Goh, Y.-K., S32
Goldbach, R. W., 63, S39
Goley, E. D., S130
Golino, D. A., 1231, S32
Gomez, A., S21
Gonsalves, C., S34
Gonsalves, D., S31, S34, S49, S84, S137
González, B., S30, S32
Gonzalez, C. F., S33
González, M., 292
Gonzalez, M. S., S121
González-Candelas, L., 673
Goodman, R. M., S83
Goodwin, S. B., 939, S33
Goos, R., 28
Gorbet, D. W., S33
Gordon, D. T., S15, S75
Gordon, T. R., 30, S9, S17, S85, S86, S97
Gorris, M. T., 198
Gort, G., 1131
Goth, R. W., S33
Gottwald, T. R., 621, 715, 1218
Goué-Mourier, M. C., 156
Govers, F., 754, 1315
Goyer, C., 442
Gracia-Garza, J. A., 185, 544, S33
Grafton, K., S26, S114
Grafton-Cardwell, B., S72
Graham, J. H., 389, 724
Gramacho, K. P., S33
Grape
—*Agrobacterium vitis*, detection by PCR, S64
—black rot: control period, S25; wet period effect, S128
—canopy, surface wetness, S57
—closteroviruses, transmission by mealybugs, S32
—decline: in California, S78; *Phaeoacremonium* spp., S108
—disease reduction by canopy management, S95
—downy mildew, disease severity using computers, S117
—Eutypa dieback, fungicide screening, S76
—leafroll-associated viruses 4 and 5, partial sequencing and assays, 1238
—leafroll disease, associated viruses 4 and 5, partial sequencing and RT-PCR assays, 1238
—measles, etiology in California, S91
—*Phytophthora* and *Pythium*, in California, S6
—powdery mildew: and Botrytis bunch rot, petroleum oil effect, S67; bud perennation in California, S74; cleistothecia as inoculum in Germany, S79; suppression by mite, S30
—rupestris stem-pitting disease: virus association and nucleotide sequence, 1231; virus detection, 1231
—transgenic rootstocks, grapevine fanleaf and grapevine leafroll viruses, S49
—virus elimination, tissue culture protocol, S32
—yellows, in Virginia, subgroups, S129
Grapevine virus A, on peppermint and spearmint, stunting syndrome, S89
Grau, C. R., S52, S64, S111, S114, S115, S116
Graves, W. R., S61, S122
Gray, F. A., S39, S107
Gray, L. E., S115
Gray, S. M., 851
Green, D. E., II, S33
Greene, A. E., 851
Greenough, D. R., S9
Gremmeniella abietina, on conifers, European race introduced to North America, 582
Greyerbiehl, J. A., S34
Grice, B. A., S117
Grief, R. A., 795
Griffin, J. L., 530
Griffiths, H. M., S38
Gross, D. C., S79
Gross, P. L., S34, S111, S114, S115
Groth, J. V., S6
Grundler, J., S22
Grünwald, N. J., S34
Grybauskas, A., S132
Grzegorczyk, W., S32
Guan, J., S111, S115
Guaragna, M. A., S48
Gubba, A., S34
Gubler, W. D., S9, S28, S63, S74, S76, S78, S91, S108
Gudmestad, N. C., S77, S117
Guerber, C. A., S125
Guerber, J. C., S34
Guerri, J., 685
Guest, C. A., S118
Guignardia bidwelllii, on grape, infection requirements, S68
Guikema, J., S38, S60, S77
Guilhabert, M. R., S83
Guiltinan, M. J., S37
Gulya, T. J., S34, S116
Gundersen-Rindal, D. E., 1359
Gunner, H. B., S135
Guo, B. Z., 276, S53
Guo, L., S63
Guo, Y. H., S35, S93
Guo, Z. T., S84
Gusse, J. F., S11
Gutierrez, W. A., S35
Guy, P. L., S95
Guzman, P., S44, S81
Gyenis, L., S35

Ha, Y., S59
Haas, D., 678
Haber, S., S111
Hacker, J. K., S68
Hadidi, A., S66
Hadwiger, L. A., S17, S48
Hafez, S., S3
Hagen, M. J., S85
Hagler, W. M., S93
Hakes, H. R., S35
Haley, S. D., S112
Hall, F. R., S68
Hall, J. S., 782, S85
Hall, L., S111
Hall, M. H., S136
Hall, R., S95
Hall, R. B., S118
Hall, T. W., S35
Halloin, J. M., S35, S44
Halsey, M. E., S35
Hamelin, R. C., 582, 1187, S9, S67
Hamlen, R. A., S132
Hamm, P. B., 190
Hammerschmidt, R., S34, S89
Hammond, J., 965, S35
Hammond, R. W., S36, S103
Han, D. Y., 450, S36, S49
Hanan, J. S., S98
Handelsman, J., S83
Hansen, J., S59
Hanson, L. E., S36, S40
Hao, J. J., S36
Harbaugh, B. K., S121
Harikrishnan, R., S36, S111
Harlton, C. E., 213
Harman, G. E., 129, S8
Harp, T. L., S19
Harpin
—environmental effect on degradation, S69
—HR elicitor, defense and growth systems effect, S96
—insect control, S104
Harrell, M. O., S93
Harri, J. A., S68
Harrington, T., S87
Hart, L. P., S40
Hart, S. E., S10
Hartin, R. J., S107
Hartman, G. L., 1306, S10, S53, S57, S65
Hartman, J. R., S22
Hartzler, R., S78
Hartzog, C., S36, S107
Harveson, R. M., S36
Harvey, T. L., S80
Hasey, J., S84
Hatziloukas, E., S84
Hau, B., 1338
Haubsbeck, M. K., 862
Haugen, L. M., S37
Hausbeck, M. K., 105, S134
Hayashi, N., 822
Hayes, C. K., 129
Hayes, P. M., S16
Haynes, J. L., S72
Haynes, K. G., S54, S55, S74
He, S. Y., S40
Heald, T. E., S39
Healy, F. G., S12
Hebbar, K. P., S37
Hebbar, P. K., 185, S57
Heckrodt, W., S117
Hedrick Oelke, L. M., S112

Heeb, S., 678
Heidel, G. B., S37
Heimann, M. F., S116
Heist, E. P., S37, S130
Helgeson, J. P., S51
Helminthosporium solani, conidiation, carbon and amino acid effects, S129
Hendson, M., S83
Henkels, M. D., S37
Herbicide, sugarcane growth and Pythium root rot effect, 530
Herlache, T. C., S64
Hermann, D., S37
Hernandez, A., S88
Hernández, F., 292
Hernandez-Tejeda, T., S3
Heterobasidion annosum, on conifers, history and management, S76
Heterodera spp.
—*H. glycines*: control, races, 465; on soybean, suppression with chitin degrading bacteria, S89
—*H. schachtii*: soil suppressiveness, establishment, S96; on sugar beet, soil fumigants, S107
—*H. trifolii*, on white clover, induced resistance, S46
Heungens, K. K., S37
Hevea brasiliensis, vessel occlusions, pectin secretion, 494
Heydari, A., S37
Hibino, H., S66, S69
Hickey, K. D., S130
Hiebert, E., S82, S122
Higgins, B., S85
Hilaire, E., S38, S77
Hilf, M. E., S31, S38
Hill, C. B., S71
Hill, G. T., S38
Hill, J. H., 895, S25, S118
Hill, J. P., S36, S107
Hillman, B. I., 811, S54
Hirata, H., S82
Hiremath, S. T., S38, S47
Ho, G.-D., 330
Ho, H. H., S43
Hoagland, R. E., S38
Hobbs, H. A., S38
Hodgson, R. A. J., 774, S93
Hoffman, B., S38
Hoffman, D., S22
Hogenhout, S. A., S39
Hogg, D. B., S52
Hohne, R. J., S4
Hoitink, H. A. J., 450, S3, S36, S49, S63
Holcomb, G. E., S39
Holland, J. B., S82
Hollingsworth, C. R., S39
Holmes, G. J., S39, S121
Holzberg, S. P., S39
Homeyer, C. A., S67
Hong, C. X., S39
Hood, M. E., 70
Hoogkamp, T. J. H., 856
Hoover, R. J., S50
Hopkins, M. S., S125
Hoplolaimus columbus, on alfalfa and soybean, reproduction on root culture, S87
Hossain, T. R., S39, S40
Hou, R. F., S54
Hou, Y.-M. (Calif.), S44, S81
Hou, Y.-M. (Okla.), S40
Houseworth, D., S2
Howard, R. J., S94
Howell, C. R., S12, S36, S40
Howell, W. E., S36
Hoy, J. W., 530, S9
Hoy, M. W., S17
Hoyos, M. E., S40
Hsu, H. T., S40
Hu, C.-C., 92, S31
Hu, J. S., 1224, S40, S80
Hu, S., S34
Hu, W., S40
Huang, H. C., S11
Huang, Q., S41
Hubbard, J. C., S41, S81, S86
Huber, D. H., S128
Huber, D. M., S35, S113, S118
Hudgins, E. J., S41
Hudyncia, J., S41
Huerta-Espino, J., 890, S82
Huet, H., S41, S69
Hughes, C., 715
Hui, Y., S113
Huisman, O. C., S81, S107
Hulbert, S., S4, S41, S87, S95, S96
Humulus sp., virus incidence, core collection, S72
—*H. lupulus*, latent viroid, in Washington, S108
Hunger, R. M., S42
Hunter, W. B., S122
Hussey, R. S., S22
Hutchinson, C. M., S42
Huynh, B., S42
Hwang, J., S42
Hwang, S. F., S94
Hyakumachi, M., 148
Hydrilla verticillata
—biocontrol with *Fusarium culmorum*, 382
—control with fungal and insect biocontrol agents, S80
Hynes, R. K., S11
Hypersensitivity
—*Clavibacter michiganensis* on *Mirabilis jalapa*, 306
—expression in bean, S42

Ibañez, A. M., 1218
Ibbotson-Darhower, H., S130
Icard, A. H., S63
Idris, A. M., 648, S11, S42, S92
Iezzoni, A., 376
Ilarraz, E. S., S13, S68
Ilieva, E., 922
Imbe, T., 822
Inglis, D. A., S107
Inoculation technique, fungal pathogenicity, quantitative, S100
Ips typographus, on spruce, blue-stain association, 39
Iris yellow spot virus, new species: molecular characterization, 1276; plant infection, cover photo, December
Irish, B. M., S19
Isakeit, T., S34, S62, S103, S122, S123
Ishimaru, C. A., 862, S12
Ismael, A.-S., S25
Ivors, K. L., 122, 1165, S42, S108
Izioka, H., S50

Jabaji-Hare, S. H., 359
Jackson, M. A., S129
Jackson, T. A., S42, S125
Jacobi, W. R., S93
Jacobo, J. L., 292
Jacobsen, B. J., S2, S10, S18, S47, S104
Jacquot, E., S58
Jaffee, B. A., 344
Jaime-Garcia, R., S43
Jain, L., 1210
Jain, R. K., S7, S125
Jakobek, J. L., S42, S43
Jakstys, B. P., 1031
James, D., S43
James, R. V., S23
Janisiewicz, W. J., S18, S43, S130
Janssen, G. J. W., 658
Janssen, R., 658
Jardine, D. J., S112
Järlfors, U. E., 1192, S31
Jarosz, A. M., S20, S43
Jarret, R., S5
Jasalavich, C. A., S43
Jeandet, P., 472, *740*
Jedryczka, M., 1210
Jee, H. J., S43
Jeffers, S. N., S23, S44
Jeger, M. J., 481
Jellison, J., S43
Jeong, J. S., S68
Ji, C., S44
Ji, P., S44
Jiang, H., S44
Jijakli, M. H., 335
Jiménez-Díaz, R. M., 828, 983, 1338
Jin, H., 410
Jin, Y., 76, S28, S44
Johal, G. S., S40, S65
Johansen-Naime, R. M., S68
Johnson, B. J., S1
Johnson, C. S., S44
Johnson, D. A., 190, S23, S31
Johnson, D. J., S44
Johnson, J., S132
Johnson, J. J., S91
Johnson, K. B., 122, 506, S45, S78, S108
Johnson, L. B., S101
Johnson, T. E., S45
Johnston, M. R., S13
Jolley, L. W., S45
Jomantiene, R., S129
Jones, A., S40
Jones, J. B., 33, S63, S90
Jones, S. S., S106
Joppa, L. R., S118
Jordahl, J., S24, S25, S30
Jordan, R., S46, S48, S58
Jørgensen, H. J. L., 698, 735
Jung, G., S85
Jurgenson, J. J., S103
Jurjevic, Z., S45

Kado, C. I., S16, S51, S73
Kadooka, C. Y., S45, S90
Kalieva, G. T., S4
Kalloger, S., S59, S80
Kamalay, J. C., S45
Kamoun, S., 1315, S45
Kang, S., S46
Kang, S.-H., 58
Karasev, A. V., 1040, S46
Kaser, K. E., S29, S108
Kassemeyer, H.-H., S79
Katan, J., S75
Katan, T., 30, S29, S77
Kaufusi, P., S46
Kayamura, T., 804
Keaster, A. J., S22
Keen, N. T., S44, S82, S83
Keinath, A. P., S56, S83, S125
Keith, L. M., S46
Kekarainen, T., 311
Kelemu, S., S46
Kelly, S., S72
Kelman, A., 28, 29
Kemble, J. M., S82
Kemerait, R. C., Jr., S46, S125
Kempster, V. N., S46
Kent, A. D., S46
Kerrigan, J. L., S47
Khan, M. A., S121
Khan, N. I., S47
Kharbanda, P. D., S101
Khayat, A., S9
Kiewnick, S., S10, S18, S47
Kikkert, M., 63
Kikuchi, A., S69
Kim, D. G., 465

Kim, D. H., S2
Kim, H. G., 30
Kim, H. H., S126
Kim, H. M., S88
Kim, J. H., S87
Kim, J. S., S58
Kim, K.-S., S58, S126
Kim, M.-S., S47, S60
Kim, S. H. (Canada), S30, S38, S47, S94
Kim, S. H. (Korea), S87
Kim, S. H. (Pa.), S132
Kim, S. J., S47, S87
Kim, Y. C., S47, S48, S62
Kimbrough, J. W., S36
Kimura, I., S69
Kinard, G. R., S48
Kindhart, J. D., S38
Kingston, G. A., S6
Kinkel, L. L., 45, 873, S7
Kirkpatrick, B. C., S8, S83
Kirkpatrick, M. T., S48, S125
Kirkpatrick, T. L., S42, S92, S93, S125, S127
Kistler, H. C., 30, S71, S77, S88, S123
Kjøller, R., 992
Klein, D., 1324
Klein, J. D., S18
Klein, R. E., S108
Kleinhofs, A., S16
Klepzig, K. D., S127
Klessig, D. F., S101
Kliejunas, J. T., S48
Klittich, C. J. R., S48
Kloepper, J. W., 1158, S2, S65, S73, S76, S100, S103
Klopfenstein, N. B., S47, S60, S118
Klosterman, S. J., S17, S48
Kluepfel, D. A., 1248, S96
Knauf-Beiter, G., S37, S51
Knorr, D. A., S29
Knudson, D. L., S12
Ko, W. H., S100
Kobayashi, D. Y., S76
Koch, D. W., S39, S107
Koev, G., 1013
Koh, Y. J., S68
Köhl, J., 568
Koike, S. T., 1046, S6, S9, S19
Kokalis-Burelle, N., S48, S103
Kolaczkowski, E., S113
Kolb, F. L., 410
Kollipara, K. P., 1306
Kolmer, J. A., 171
Kordyum, E., S77
Kormelink, R., 63, 1276
Kosted, P. J., 456, S4, S49
Kousik, C. S., S49, S76
Kouterick, K. B., S49
Krastanova, S., S49
Krause, C. R., S29
Krause, M. S., S49
Kremser, J. J., S50
Kreuze, J. F., 311
Krijger, M. C., 568
Krokene, P., 39
Kropp, M. J., S96
Kruger, W. M., S50, S103
Krupa, S. V., S62
Krupinsky, J. M., S50
Kubisiak, T., S118
Kucharek, T., S46, S50, S80, S125, S126
Kudrna, D., S16
Kukreja, K., S50
Kull, L. S., S57
Kung, R., S51
Kuramae-Izioka, E. E., S50, S70
Kurle, J. E., S114
Kurtz, A. L., S1
Kuti, J., S25, S66, S70
Kwon, C. Y., S30, S50, S112
Labbé, C., S99
La Bonte, D. R., S17
Laccaria bicolor
—genetic engineering, S38
—symbiosis-regulated gene: cloned from, S47; peroxisomal malate synthase, S87
Lacourt, I., 205
Laemmlen, F. F., S108
Laferriere, L., S51
Laflamme, G., 582
Lai, E. M., S51
Laird, D., S2, S37, S51, S88
Lalancette, N., S51, S135
Laliberté, J.-F., 1200
Lamey, H. A., S51, S112
Lamikanra, O., S5
LaMondia, J. A., S51
Lamppa, R. S., S91, S114, S116
Langenberg, W. G., S119
Langham, M. A. C., S112
Langham, R. J., S51
Lanneau, M., 198
Lapierre, H., 818
Larkin, R. P., S51, S130
Larsen, M. J., S60
Larsen, R. C., S52
Latin, R. X., S27
Lavallée, R., S67
Lawrence, G. W., S61
Lax, A. R., 276, S16
Lazarovits, G., S52
Le, T., S52
Leach, J., S4, S38, S50, S60, S77, S91, S114, S117
Leafhopper, virus vectors, laboratory rearing, S121
Lease, R. J., S64
Leath, S., 144, S93
Lecours, N., 582
Lee, C., S117
Lee, F. N., S19, S55, S126
Lee, H., 692
Lee, H. K., S52
Lee, I.-M., 1359, S52, S116
Lee, K. J., S88
Lee, M. E., S52, S116
Lee, R. F., 1040, S14
Lee, S. H., S42
Lee, S.-W., S52
Lee, Y.-H., 58
Lee, Y.-W., 58
Lefèvre, F., 156
Legard, D. E., S123
Lehman, L. J., S62
Leininger, B. L., S61
Leininger, T. D., S53, S60, S100
Leisner, S. M., S2, S53
Lemay, A. V., S53
Lens culinaris, anthracnose, resistance in fungicides, S110
Leonard, K. J., 45, 873, S24
Leong, S. A., S15
Lepoivre, P., 335
Lepping, H.-B., 1020
Leptosphaeria maculans
—biocontrol agent, specific primers, S101
—on *Brassica napus*, avirulence locus mapping, 1068
—on canola, biotypes, S71
—species complex: identification with conidia as substrate, 1210; PCR for identification, 1210
Lerner, J., S135
Leslie, J. F., 30, S103, S112
Lester, D. G., S97
Letter to the editor
—epidemics, crop-weed interaction, 180
—epidemiology and spatio-temporal dynamics, model, 1000
—gene-for-gene coevolution system, stability, 592
—interaction analysis, de Wit models, strain, 873
—model: fungal mycoparasite host dynamics, energy-based approach, 481; pathogen evolution in cultivar mixtures, pathogen fitness, 492; relative fitness, linear, reply, 490; spore splashing, 1131
—spatial correlation, nonrandomness and aggregation, 84
Lettuce
—downy mildew: in California, S108; warning system, S99
—downy and powdery mildew, chemical management problem, S59
—*Sclerotinia minor*: drip irrigation suppression, 252; slow-dying resistance, S41
—Verticillium wilt, S86
Lettuce mosaic virus, new host in Brazil, S68
Leucostoma spp., genetic heterogeneity, on peach, 376
Leung, H., 223, S16, S50, S81, S91
Leverentz, B., S96
Lévesque, C. A., 213, S21
Levy, L., S131
Levy, M., 1269
Lewandowski, D. J., S40
Lewis, E. A., S42
Lewis, J. A., S51, S57, S131
Lewis, S. A., S87
Li, C., S75
Li, H. P., S40
Li, J., S16
Li, L. P., S53
Li, R., S53
Li, R. H., 402
Li, S., S53
Li, X.-Z., 1094
Li, Y., S53
Li, Y. J., S53
Liang, X., S53
Lichter, A., S54
Liddell, C. M., S10, S59
Likins, T. M., S131
Lim, T. M., S53
Lin, S. S., S54
Lindbeck, A. G. C., S54
Lindgren, P. B., S42, S43
Lindow, S. E., 1149, S44
Line, R. F., S16, S81
Ling, K. S., S49
Linscombe, S. D., S126
Lipps, P. E., 1078, S47, S112
Lisianthus, Fusarium crown and stem rot, fungicides, S121
Listeria monocytogenes, on apple, growth on fresh apple, S18
Litwiller, D., S117
Liu, H.-Y., 402, S54
Liu, J. Q., 171
Liu, L., 252
Liu, S. J., S67
Liu, Y.-C., 811, S54, S129
Liu, Z., S54, S55, S115
Livieratos, J., 1276
Lo, C.-T., 129
Lo, S. C., S55
Locke, J. C., S10, S29, S128, S131
Lockhart, B. E., S20, S31
Locoism, in cattle, fungal endophyte?, S10
Locust, tree defense factors, characterization, S75
Lommel, S., S19, S56, S89
Long, D. H., S55, S126
Longnecker, M. T., S33
Loper, J. E., 506, S37, S73, S85
López, C., 685
Loria, R., S12, S52
Lotrakul, P., S21, S55
Lotus corniculatus, *Rhizoctonia* spp., population structure, S26
Louie, R., S15, S55, S75
Louws, F. J., 862, S13, S55, S56, S124

Lowry, D. S., 402
Lu, S., S79
Lübberstedt, T., 1324
Lübeck, P. S., 698
Lukaesko, L. A., S52, S116
Lumsden, R. D., S37, S57, S131
Lund, R. E., S78
Lundeen, P., S101
Lundquist, J. E., S56
Luo, Y., S56
Luster, D. G., S129, S130, S133
Luvisi, D. A., S91
Lycopersicon sp. (see also Tomato), α-tomatine synthesized by, fungal sensitivity, 137
—*L. hirsutum*, tomato yellow leaf curl virus, resistance, 910
Lynch, R. E., S53
Lyons, E. J., S43
Lyons, N. F., S91

Ma, C., S56
Ma, H., S56
MacDonald, W. L., S128, S129
MacGuidwin, A. E., S77
Mackenzie, S., S72
Mackie, S. J. W., S56
Macko, V., S17
Macksel, M., S135
Macquaire, G., 198
Macrophomina phaseolina
—host specialization, genetics, S86
—on soybean, planting date and tillage effects, S99
Madden, L. V., 536, 950, 1131, S26, S68, S90, S112
Maffia, L. A., *1116*, S20
Magan, N., 960
Magarey, R. D., S57
Magnaporthe grisea
—appressorium formation, sequence analysis and gene characterization, S17
—protein kinase gene, regulatory subunit gene, S32
—on rice: appressorium formation, polyamine relation, 58; in Arkansas, S125; gene profile in chromosome 7, S104; multiple virulence, mechanism, S46; population analysis, rapid, 223; resistance gene, clone, S15
Mahaffee, W. F., S35, S57
Mahmood, T., S57
Maize (see Corn)
Maize chlorotic mottle virus, sgRNA synthesis, long distance *cis* effect, S78
Maize dwarf mosaic virus, in kernels, vascular puncture inoculation, S75
Maize rough dwarf fijivirus, transmission by puncture inoculation, S55
Maize streak virus
—on corn, symptom quantification by image analysis, 422
—resistance, S15
Majerczak, D. R., S18
Malinoski, M. K., S57
Malpica, J. M., 520
Maluf, W. R., S28
Malvick, D. K., 52, *272*, 915
Manandhar, H. K., 735
Manandhar, J. B., S57
Mango
—anthracnose, cultivar response, S120
—anthracnose and stem-end rot, neem extract effect, in Northern Mariana Islands, S9
—bacterial apical necrosis, in Spain, 614
—malformation epidemiology, in Mexico, S67
Man in't Veld, M. A., 922
Manji, B. T., S84
Manulis, S., S6
Manuscript preparation, author's guide, 7
Mao, W., S57
Maramorosch, K., S121
Marasmius spp., on heliconia and red ginger, new disease, S90
Marathe, R., S3
Marcell, L. M., S116
Marek, S. M., S58
Margosan, D. A., S58, S83
Margot, P., S37, S51, S88
Marmey, P., S58
Maroon, C. J. M., S58
Martin, C. A., S86
Martin, D. P., 422
Martin, E. M., S58, S126
Martin, F. N., S58
Martinez, N., S103
Martínez, O., 292
Martinez-Espinoza, A. D., S58
Martins, O. M., S59
Martinson, C. A., S21, S96, S110, S112, S113, S115, S116, S117, S118
Martyn, R. D., 30, S121
Maruyama, W., S69
Mascagni, H. J., S90
Mask, P. L., S91
Mastari, J., 828
Matheron, M. E., S59
Mathews, D. M., 514
Mathur, S. B., 735
Matsuda, I., S88
Maurhofer, M., 678
Mavrodi, D. V., S59, S80
Mavrodi, O. V., S59
Maxwell, B. D., S13
Mayo, M. A., 1302
Mayton, H., S59
Mazzola, M., 930
McAlpin, C. E., S92
McBeath, J. H., S59
McCabe, P. M., S59
McCann, M., S132
McCarthy, M. K., S4
McCarthy, P. L., S59
McCasland, C. S., S53
McClean, P. E., S86
McClure, S., S22
McCoy, R. J., S60, S62
McCullough, J. A., S6, S136
McDaniel, R., S1
McDonald, B. A., 1087, 1330
McDonald, G. I., S47, S60
McDonald, R. E., S84
McElreath, S. D., S60
McFadden-Smith, W., S60, S95
McGawley, E. C., S9
McGee, J. D., S60
McGiffen, M., S42
McGourty, G., 1149
McGovern, R. J., S60, S121
McGrath, M. T., S60, S136
McIntyre, G. A., S107
McKay, K. R., S51
McLaughlin, M. R., S61
McLean, K. S., S61
McManus, P. S., S7, S45, S61
McMillan, R. T., Jr., S61, S122
McMinn, J. W., S45
McMullen, M. P., S116
McNabb, H. S., Jr., S117, S118
McNair, H. M., S128
McSorley, R., S60
McSpadden Gardener, B. B., S61
Medeiros, R. B., S61
Medina-Mora, C. M., 862
Meeley, R. B., S65
Meinhardt, S. W., S25, S30, S50, S62
Melampsora spp.
—*M. larici-populina*, on hybrid poplar, gene cluster and resistance, 156
—*M. medusae*: on poplar, resistance gene, 114; on *Populus deltoides*, molecular markers, S118
Melcher, U., 428, 1351, S75, S80, S95
Melching, J. B., S136
Melchinger, A. E., 1324
Melgar, J. C., S113
Melin, J. B., S92
Meloidogyne spp.: management, dichloropropene role, S76; on *Solanum* spp., virulence variation, 658
—*M. arenaria*, plant tissue and DiTera comparison, S92
—*M. hapla*, suppressive by sudangrass as green manure, S97
—*M. incognita*: on bell pepper, resistance at high temperatures, S89; on cotton, histology, S93; on cotton, relation to *Thielaviopsis basicola*, S127; egg viability, grass root effect, S48; rearing by hydroponic method, S79; secretion gene profile, S22
—*M. javanica*, nematode-trapping fungi for control, 344
Melon (see also Muskmelon and Watermelon)
—disease management, benzothiadiazole, resistance, S83
—Fusarium wilt: resistance gene *Fom 2*, linkage, S104; resistance gene identification, S95
—gummy stem blight, S122
—Monosporascus root rot: in California, S121; worldwide, S121
Melouk, H. A., S1
Melton, T. A., S35, S44
Mendes-Pereira, E., 1210
Meng, X. Q., S62
Menge, J. A., S22, S52, S85
Menzies, J. G., 396
Mercier, J., S62
Merits, A., 311
Meronuck, R., S26
Messenger, B. J., S62
Meurs, C., 63
Mew, T. W., 300, S91
Meyer, L., 366
Meyer, S. L. F., S131
Meyer, W., S94
Michailides, T. J., 637, S15, S23, S27, S39
Michel, V. V., 300
Michelmore, R. W., S108
Michels, G. J., S12
Michler, C. H., S102
Mickler, C. J., S62
Microarthropod, soil disturbance indicator, S66
Microsphaeropsis sp., *Venturia inaequalis* interaction, cytochemistry, 605
Midland, S. L., S84
Miedaner, T., 879
Migheli, Q., 30, 673
Mihail, J. D., S99
Mika, J. S., S13
Milgroom, M. G., 811, S54, S129
Miller, C. D., S47, S48, S62
Miller, J. D., S44, S118
Miller, J. S., 190
Miller, L. A., S136
Miller, M. E., S12, S62, S70, S103, S120, S121, S122
Miller, M. L., S108
Miller, P., S28
Miller, S. A., S3, S18, S63
Miller, S. S., S132
Miller, T., S33
Miller, T. C., S63, S108
Miller, W. A., 1013, S63
Milligan, B. G., S9
Mills, D., S54, S63
Mims, C. W., S63, S135
Mink, G. I., S36
Minsavage, G. V., S63
Mirabilis spp.
—*M. expansa*, ribosome inactivating proteins, biological activity, S133

—*M. jalapa*, *Clavibacter michiganensis*, hypersensitive response, 306
Mirocha, C. J., S113
Misaghi, I. J., S37
Misra, M. K., S32
Mitchell, D. J., 389, S63
Mitchell, S. E., S32
Mitchell, T. K., S64, S126
Mitchell Fetch, J. W., S116
Mitra, A., 730, S56, S119
Miyagawa, H., S66
Mizubuti, E. S. G., 837, S59
Mlikota, F., S64
Mmbaga, M. T., S64
Model
—density- and frequency-dependent fitness, determinants, 45
—de Wit, competitive interaction analysis, letter to editor, 873
—fungal mycoparasite host dynamics, energy-based approach, letter to editor, 481
—pathogen evolution, cultivar mixtures, pathogen fitness, letter to editor, 492
—pest management, vegetables, weather network and GIS mapping, S89
—relative fitness estimation, reply, letter to editor, 490
—spore splashing: environment, 1131; letter to editor, 1131
—surface wetness, weather and forecasts, S57
—viral translation by RNA sequence, S63
Mohan, B. R., 1013
Mohan, S. K., S64
Momol, E. S., S64
Mondal, S. N., 148
Mondjana, A. M., S64
Monilinia spp.
—*M. fructicola*: on peach, latent fruit infection, S60; on peach and nectarine fruit, development stage, S130; on stone fruit, sporulation and weather, S39
—*M. oxycocci*: on cranberry, flower infection, S7; on cranberry, fungicide resistant, S61; on cranberry, fungus inhibition in marsh, S45
—*M. vaccinii-corymbosi*: apothecium emergency, prediction, S79; on blueberry, detection methods, S125
Monosporascus cannonballus
—on melon, tylose formation, S2
—on muskmelon, cucurbitacin content, S70
—*Trichoderma* as biocontrol agent, S12
Montez, G., S72
Moore, L. W., S108
Moore, N. Y., 30, 1283
Moorman, G. W., S64
Mor, H., S6
Mora-Aguilera, G., S67, S68, S78
Moraes, F. H. R., S64
Mora-Rodríguez, M. P., 828, 983
Moratorio, M. S., S91
Morehart, A. L., S132
Morelock, T. E., S19
Moreno, P., 685
Morgan, D. P., 637, S27
Morris, B. D., S92
Morris, J. B., S125
Mountain ash, vessel occlusions, pectin secretion, 494
Moyne, A. L., S65
Muehlbauer, G., S73
Mueller, D. S., S65
Mujeeb-Kazi, A., 890, S82
Mukerji, A., S65
Müller-Schärer, H., 180, S99
Mullin, P., S65
Multani, D. S., S65
Mundodi, S. R., S65
Mundt, C. C., 708, 1330, S19
Munkvold, G. P., 550, S32, S82, S116
Muñoz, F., 306
Murphy, C., 576
Murphy, J. F., S65, S82, S91
Murphy, J. P., 144
Murray, A. K., S35
Murray, T. D., S106, S107
Mushroom, shiitake, hardwood sawdust medium, S69
Muskmelon (see also Melon)
—Alternaria leaf blight, chlorothalonil application, factors, S25
—CMV protein, temperature effect, S5
—Fusarium wilt: botanical extract effect, S10; variation in Japanese strains, 804
—root rot, polygalacturonase relation, S103
—vine decline, in Central America, S120
Musselman, C. A., S49
Musselman, L. J., S63
Mycosphaerella graminicola, on wheat
—immigration and reproduction in field, 1330
—virulence variation, S19
Mycotoxin
—aflatoxins, compounds inhibitory to, S89
—deoxynivalenol and nivalenol, *Fusarium culmorum* in rye, 879
Myers, J. R., S86
Myers, L., S42
Myers, O., S56

Nabizadeh-Ardekani, F., S59
Nagahama, K., 1205
Nagahashi, G., S66
Nair, H., S17
Naito, S., S66
Nakaho, K., S66
Nakajima, T., S66
Namiki, F., 804
Narvaez, D. F., S66
Nass, P. H., 1031
Navas-Castillo, J., 685
Navas-Cortés, J. A., 828, 1338
Nawar, H., S25, S66
Ndowora, T. C. R., S20
Nedukha, O., S77
Neher, D. A., S66
Neill, G. B., S93
Nel, L. H., 366
Nelson, B. D., 1056
Nelson, E. B., 129
Nelson, M. E., S108
Nelson, M. R., S43
Nelson, R. J., 223, S50, S91
Nelson, R. S., S22, S40
Nematicides, plant derivatives, S92
Nematodes
—management agents, problems and potential, S131
—trapping fungi, 344
Nemchinov, L., S66
Nemchinova, Y. P., S67
Nesmith, W. C., S37, S130
Nester, S., S9, S132
New, L. L., S27
Newcombe, G., 114
Newman, M. A., S85
Newton, M. R., 45, 873
Ng, C. K. J., S67
Niblack, T. L., S99
Niblett, C. L., S14
Nicholson, R. L., S55, S96
Nickel, C. D., S3
Nicole, M., 494, 1141
Nicole, M. C., S67
Nicotiana spp. (see also Tobacco)
—*N. benthamiana*, tobamovirus or dianthovirus movement proteins, 666
—*N. tabacum*: *Peronospora tabacina* tissue culture, host-pathogen interaction, S130; salicylic acid, glucosylation, 692
Niggemeyer, J., S67, S69
Nigh, E. L., S135
Nikolaeva, O. V., 1040
Niks, R. E., 856
Nishi, K., 804
Nissenbaum, T., S137
Noble, J. K., S126
Nokes, S. E., S99
Norelli, J. L., S8, S134
Noriega-Cantú, D. H., S67
Norman, D. J., S67, S122
Northover, J., S67, S104
Northover, P. R., S68
Norton, A. P., S30
Nou, I. S., S68
Novacky, A. J., S40
Ntahimpera, N., 536, 950, S68
Nuss, D. L., 598
Nutter, F. W., Jr., 895, S68, S111, S113, S115, S117, S118

Oak
—bacterial wetwood: arborsonic decay detector, S100; properties, S100
—decline, in Mexico, S88
—insects and diseases, softwares for rapid recognition, S97
—wilt, in live oak, aromascan analysis, S97
Oat
—barley yellow dwarf virus: localization of 17-kDa protein and RNA, 1031; tolerance, loci, 410; transgenic tolerance, 1013
—crown rust, partial resistance, S82
—foliar fungicides, disease and yield, S111
—mitochondria, permeability transition, S20
—*Vb* locus, molecular markers, S18
Obituaries
—Lindsay M. Black, 872
—Frank Leslie Howard, 28
—George Blanchard Lucas, 29
—William J. Zaumeyer, 480
O'Brien, J. G., S37, S88
Ochoa-Martinez, D. L., S68
O'Donnell, K., 30
Odontoglossum ringspot virus, infectivity influenced by amino acid, S102
Odvody, G., S123
Oelke, L. M., S117
O'Garro, L., S120
Ohm, H. W., 851
Ohr, H. D., S42
Oidium sp., on poinsettia
—colony development and infection, 105
—conidial germination, cover photo, February
—leaf infection, temperature and humidity effect, S134
Okuley, J. J., S45
Olalla, L., 614
Oliveira, F. A., S68
Olmos, A., 198
Olszewski, N. E., S20
Omer, M. A., S69
Omura, T., S69
Ona, I., S91
Ong, C. A., S41, S69
Onion (see also *Allium porrum*)
—soft rot, *Pseudomonas marginalis* cause, S64
Opgenorth, D., 862
Ophiosphaerella spp., on bermudagrass, genetic diversity, S96
Ophiostoma spp., detection by PCR, S47
—*O. piceae*: extracellular lipase, encoding gene, S38; on spruce, bark beetle association, 39; sapstaining fungus, genetic variability, S30; scytalone dehydratase gene, cloning, S94
—*O. ulmi*: on elm, *O. novo-ulmi* comparison, S24; on *Prunus pensylvanica*, tree sections, cover photo, June; spore deficient mutants, S113; vessel occlusions in trees, pectin secretion, 494
Oplinger, E. S., S52, S114, S116

Opuntia spp., viruses, S16
Orchid
—*Rhizoctonia solani*, mycorrhizal agent, S13
—virus detection in, electrophoresis, S27
Ordoñez, M. E., 265
Orf, J. H., S16
Ornamentals, Research Program IR-4, S29
Orozco, F., S88
Ortega, S., S109
Orum, T. V., S43
Osada-Kawasoe, S., S77
Osborn, T. C., 1068
Osborne, L., S69
Osborne, W. W., S126
Osorio, F., S69
Ospina-Giraldo, M. D., S16, S69
Østergård, H., 492
Ostrofsky, A., S43
Ostrow, K. M., S11
Ostry, M. E., S35, S37, S95
Otero-Colinas, G., S67
Otrosina, W. J., S5, S48
Ou, L.-T., S76
Ouellette, G. B., 494
Overstreet, C., S9
Owens, R. A., S103
Oyarzun, P. J., 265
Ozdemir, Z., S136
Ozone, spore mortality and fungi, on humid conditions, S58

Pacumbaba, R. O., Jr., S69
Pacumbaba, R. P., S69
Padidam, M., 1262
Padovan, A. C., S68
Page-Lester, S. A., S69
Pai, S., S70
Pair, S. D., 428
Paiva, N. L., S65
Palta, J. P., S64
Pan, S. Q., S53
Panabières, F., 205
Panaccione, D. G., S131, S133
Pangga, I. B., S70
Panicum mosaic virus
—capsid, on pearl millet, S74
—replication, protein, S6
Panigrahi, S., S29
Pantoea spp.
—*P. agglomerans*, on radish, acquired resistance, S36
—*P. citrea*, in pineapple, glucose dehydrogenase gene, S73
—*P. stewartii*, on corn *hrp* gene regulation, S18
Pantuso, F., S30, S32
Papaver spp., *Myrothecium verrucaria* for control, adjuvant carrier, S101
Papaya, phytoplasma, yellow crinkle disease epidemiology, S68
Papaya ringspot virus
—on *Carica papaya*, technology transfer between Cornell and EMBRAPA, S137
—resistance factors, S84
—transgenic cultivars resistant to, S31
Pappu, H. R., S7, S71, S125, S127
Pappu, S. S., S71
Parfitt, D. E., S15
Park, D.-S., 556
Park, J. W., S21, S70
Parke, J. L., S37, S46
Partridge, J. E., S46
Pasini, R., S36
Pasteuria penetrans
—biochemical events, S11
—nematode attachment, observations, S26
Pataky, J. K., S24, S70
Paterson, A. H., S99
Paul, L. E., S2
Paul, R., S1
Paulin, L., 311
Paulitz, T. C., S135
Payan, L., S18
Payne, G. A., S98
Payton, M., S42
Pea
—*Aphanomyces euteiches*: diversity in central and western USA, 915; on roots of, oospores and enzymatic activity, 992
—Aphanomyces root rot, strain variation, 52, 272
—diseases suppressed by *Pseudomonas corrugata*, S17
—*Fusarium solani*, DNA-damaging agents, S17
—inducible protein, epitope, S48
Pea enation mosaic virus
—detection in aphids, S52
—mutational analysis of VPg, S82
Peach
—brown rot, fungicide, interactions, S26
—fruit rot, benomyl and propiconazole for, S28
—Fusicoccum canker: inoculum availability, S51; yield loss in New Jersey, S135
—icosahedral virus in Korea, S126
—*Leucostoma* spp., genetic heterogeneity, 376
—postharvest diseases, biocontrol microorganisms, S104
—rust, early and late epidemics, in California, S84
—scab, fungicide, S18
Peanut
—Bowman-Birk trypsin inhibitor gene, characterization, S73
—leaf spot: systemic resistance induced, S103; weather based advisory, S5
—potyvirus, seedborne in Brazil, characterization, S71
—Sclerotinia blight, fungicides and resistant genotypes, S53
—soilborne fungi in Florida, S46, S125
—tomato spotted wilt virus on, spatial patterns, S127
Peanut stunt virus
—satellite RNA, mapping sequence determinants, S31
—strain BV-15, natural reassortant, 92
—on tobacco: cytoplasmic inclusions, 1192; protoplasts, inclusion structures, cover photo, November
Pear
—fire blight, antagonist factors, 506
—fruit russet, bacteria and indole-acetic acid, 1149
—fruit russet and bacteria, 1149
Pecan, scab
—fungicide programs, S79
—fungicides and weather based model, S23
—lesion development factors, 1294
—management alternatives, S27
—resistance and variation, S124
Pedersen, W. L., 1306, S3, S10, S57, S65
Peever, T. L. (Fla.), 724
Peever, T. L. (N.Y.), 811, S54
Pegg, K. G., 1283
Pelargonium line pattern virus, in geranium, detection with probe, S48
Pelargonium ringspot virus, genome organization, S48
Pelosi, R. R., S73
Penaloza-Vazquez, A., S102
Peng, Y., S35
Penheiter, A., S103
Pennypacker, B. W., S136
Pennypacker, S. P., S49
Pentaclethra macroloba, insect-toxic agglutinin from seeds, characterization, S75
Pepper
—geminivirus, in Costa Rica, S21
—major resistance genes, acquired resistance, S76
Peppermint, Trichovirus effect on field performance, S19
Percich, J. A., 52, 272, 915, S26
Peres, N. A. R., S70
Pérez-García, A., 614
Periconia circinata, peritoxins, biosynthesis, S17
Periwinkle, aster yellows, detection of mRNA, S109
Pernezny, K., 33
Peronospora spp.
—*P. sparsa*, on rose, detection, S2
—*P. tabacina*, on tobacco, long-term culture, S37
Perry, J. M., S79
Perry, K. L., 851, S67
Peterek, S. A., S70
Peters, D., 63, 1276
Petersen, J., S116
Peterson, A. H., S65
Peterson, C. M., S74
Peterson, G. L., S9, S29, S70, S131
Peterson, L. G., S76
Peterson, P. D., Jr., S71
Pettis, G. S., 1179
Pettway, R. E., 1087, S71, S77
Pfleeger, T. G., 708
Phaseolus vulgaris (see also Bean)
—anthracnose, isolates in Mexico, characterization, 292
—chitinase gene and protein induction, by potato leafhopper, S40
—*Fusarium solani* on, chlamydospore factors, 148
—resistance gene I, cloning, S72
—rust, *Ur-3* resistance gene, S67
—web blight, resistance screening method, S121
—white mold, calcium and thiophanate-methyl effect, S34
Phellinus linteus, molecular analysis, S87
Phelps, R. H., 1262
Phialophora gregata
—adzuku bean and soybean isolates, molecular markers, S115
—on annual and perennial legumes, survival, S111
—genetic variation, AFLP and ISSR analysis, S62
Phillips, D. V., S71
Phillips, J. G., S131
Phomopsis spp., on peach, vegetative compatibility and virulence, S28
—*P. longicolla*, on soybean, molecular identification in phylogeny, 1306
Phylloplane, microbial populations, assessment, S4
Phytoalexins, cucumber, silicon-mediated accumulation, 396
Phytophthora spp., on citrus, outbreaks in Florida, 724; in nursery and irrigation water, S92; on ornamental crops, containers, S23; on pistachio, root and crown rot resistance, S15; reverse dot blot hybridization, identification, 213
—*P. capsici*: dimethomorph for zoospores, efficacy, S136; on pepper, biocontrol with *Trichoderma*, S59; on tomato and pepper, Messenger control in Florida, S78
—*P. cinnamomi*, catalase enzyme, activity, S120
—*P. infestans*: Canadian populations, characterization, S20; clonal lineage, development and temperature, 837; clonal lineage, elicitor protein, 1315; fungicide sensitivity, assay comparison, S132; mating type change and fungicides, S90; *Nicotiana* resistance, potato virus X vector, S45; oospore survival, factors, S58; population changes, migration and recombination, 939; on potato, epidemics in the Netherlands, factors, 754; on potato, isolate aggressiveness, Washington and Oregon, 190; on potato, leaf assay for resistance evaluation, S33; on potato, oospore role in epidemic, archival and herbarium materials, 1120; on potato, past epidemics and oospore role, 1120; on potato, PCR detection in tubers, S95; on potato and tomato, in Morocco, S132; sporangia in soil, fungicides, S23; on tomato, isolate variation, S129; on tomato and potato, in Ecuador, 265; zoospore germination, temperature and humidity effect, S77

—*P. nicotianae*: on citrus, histology of root infection, 389; *P. cactorum* hybrid, isozyme analysis, 922
—*P. palmivora*, on citrus, histology of root infection, 389
—*P. parasitica*: on citrus, soil surfactant for control, S62; on tobacco, virulence diversity, nuclear RFLPs, 205
—*P. sojae*: race 25, molecular variation, S115; race distribution, in soybean, S42; on soybean, mutant recovery, S26; on soybean, races in Indiana, S115
Phytoplasma
—DNA analysis in Japan and Korea, S88
—ecology and genomic diversity, symposium, 1359
—identity and disease etiology, symposium, 1372
—ribosomal DNA, RFLP analysis, S35
—Western X, identification and characterization, S8
Piccinni, G., S12, S27, S71
Pichia anomala, antagonist to *Botrytis cinerea* on apple, 335
Pielaat, A., 1131
Pierson, E. A., S71
Pierson, L. S., III, S71
Pieters, R., 922
Pijut, P. M., S102
Pilgeram, A. L., S89
Pilgeram, A. P., S4
Pilowsky, M., 1101
Pine (see also White pine)
—black-stain root disease, site factors, S48
—loblolly, wounding response and chitosan, S127
—loblolly and slash, fusiform rust, tree traits, S93
—Monterey, pitch canker, S85
—pitch canker, resistance, S9
—ponderosa, canopy structure and Armillaria root disease, digital image analysis, S56
Pineapple
—mealybug wilt: associated virus, transmission, 1224; symptoms, growth, and flower production, S80; vectors, 1224
—*Rotylenchulus reniformis*, management in tropical cover crops, S94
Pinkerton, J. N., 122, 1165, S42, S108
Pinnow, D. L., S125
Pinus spp., blue-stain fungi, pathogenicity, S5
—*P. edulis*, decline, analysis, S4
—*P. palustris*, decline, blue-stain fungi, S5
—*P. resinosa*: shoot blight, uneven-aged stands, S37; Sphaeropsis shoot blight and canker, phenolic concentration, 245
—*P. taeda*, fusiform rust, rhizobacteria and resistance, S26
Pio-Ribeiro, G., S71
Piper (see Pepper)
Pirone, T. P., S94
Pistachio
—Alternaria leaf blight: inoculum source, S27; resistance, S15
—fungal decay, kernel staining, S23
Pita, J. S., S71
Pitz, K. Y., S31
Plant extracts, antifungal activity, S25
Plant stress, infrared detection system, development, S12
Plasmopara viticola
—azoxystrobin sensitivity, distribution, S98
—in grape, resistance, chemical and pathogen-induced, S98
Platt, H. W. (Bud), S20
Plattner, R. D., S73
Plectosporium tabacinum, on hydrilla, model system, S83
Ploetz, R. C., 30, S72
Plum pox virus, serotypes, typing method, 198
Plyler, T. R., S72
Podila, G. K., S38, S47, S87
Poinsettia
—powdery mildew: biological and chemical fungicides, S135; heat effect on germination, 105; resistance conferred by peptides, S83
—Rhizoctonia stem rot, biocontrol agents, S42
Poleij, L. M., 658
Polek, M., S72
Polston, J. E., S65, S82, S122
Ponciano, G., S117
Poncirus trifoliata, citrus tristeza virus on, resistance, S31
Pongam, P., 1068
Pontif, M. J., S9
Pope, E. J., S13
Popham, T. W., S72
Poplar
—leaf rust, molecular epidemiology, S9
—vessel occlusions, pectin secretion, 494
Poplawsky, A. R., S17, S72
Populus spp.: rust, resistance factors and gene cluster, 156; rust, resistance gene, 114
—*P. tremuloides* (see also Aspen), beetle, nematode, and fungus association, S47
Porchas, M., S59
Poromarto, S. H., 1056
Porter, B., S101
Porter, P. M., S16
Postharvest pathology
—gray mold, *Pichia anomala* antagonism, 335
—pesticide use in food crops, market analysis, S130
Postman, J. D., S72
Potato (see also *Solanum* spp.)
—diploid hybrids, late blight resistance, S55
—dry rot, *Enterobacter* as antagonist, S118
—early and late blight, climate data comparison and models, S107
—early blight, tuber decay and tuber performance, S29
—early dying, management in irrigated regions, S106
—Fusarium dry rot, biocontrol with bacteria, S47
—late blight: ACROBAT MZ effect, S6; clonal lineage in *Phytophthora*, temperature effect, 837; cloning of resistance gene analogs, S54; epidemic development and factors, 754; fungicides, S86; isolate aggressiveness in Washington and Oregon, 190; late blight resistance, molecular markers, S55; lipoxygenase relation in tubers, S74; oospores and epidemics, archival and herbarium materials, 1120; predictive model, S36; resistance evaluation of tubers, S74; specificity in Ecuador, 265
—nematode and Verticillium wilt, stem colonization, S77
—*Pratylenchus neglectus* and *Verticillium dahliae*, relation, S3
—*Rhizoctonia solani*, mycorrhizal effect, S102
—scab, thaxtomin A production, 442
—silver scurf, severity in certified seed, S31
—spindle tuber viroid, nuclear targeting signals, S103
—surface blemish on tuber, *Colletotrichum* cause, S136
—*Verticillium dahliae*, pathotype virulence, S69
—viruses, tissue culture, 437
Potato leafroll virus, *Buchnera* interaction, amino acids, S39
Potato virus A, isolate differences, hypersensitivity, 311
Potato virus Y
—egg-plant mottle virus a strain of, serology, S7
—leaf-drop, hypersensitivity, 1073
—new strain in Brazil, properties, S64
Potti, R. S., S72
Poupet, A., 205
Powell, C. A., S73
Powelson, M. L., S106, S107
Power, R., S132
Powers, K., S85
Pozo, A., 265
Pratt, R. G., S61
Pratylenchus spp.
—*P. penetrans*, on potato, reduction by marigolds, S128; in potato, resistance, S11
—*P. thornei*, *Fusarium oxysporum* interaction on chickpea, 828
Praveen, S., S7
Press, C. M., S73
Preston, J. F., S11
Price, L. D., S73
Pritsch, C., S73
Proctor, R. H., S73
Proffitt, T. W., S12
Programmed cell death (apoptosis), heterokaryon incompatibility and nuclear DNA degradation, S58
Provin, E. M., S33
Prunus necrotic ringspot virus, phylogenetic relation, S36
Prunus spp., virus resistance, coat protein mediated cross-protection, S131
Pruss, G. P., S3
Pryor, A., S41
Pryor, B. M., S73
Pryor, T., S87, S95
Pscheidt, J. W., S35
Pseudocercosporella herpotrichoides
—in *Triticum tauschii*, resistance mapping, S106
—on wheat, genetic analysis of resistance, S106
Pseudomonas spp., diacetylphloroglucinol distribution, monoculture, S80; in rhizosphere, diacetylphloroglucinol-producing strains, S59
—*P. aureofaciens*, ovicidal effect on ring nematode, S96
—*P. chlororaphis*, insect-mediated dispersal, 1248
—*P. fluorescens*: competitive fitness in soil, cytochrome c role, S76; survival and *rpoS* gene, S85; tobacco necrosis virus resistance induced by, 678; on wheat roots, soil suppression, S74
—*P. putida*: catalase, induction by H_2O_2, S62; on hyphae or citrus root tips, cloning genes, S52; population increase in soil, S85; root colonization, manganese- and iron-superoxide dismutase, S48; *rpoS* gene and resistance to oxidative stress, S62
—*P. solanacearum*, ginger race in Hawaiian soils, medium, S122
—*P. syringae*: on Arabidopsis, systemic acquired resistance, 450; biosynthesis of syringomycin and syringopeptin, genomic region, S79; carbon source utilization, TLP2 mutants, S44; *dnaK* gene, cloning, S46; DNA marker for identification, S68; ethylene-forming enzyme from, *efe* gene, 1205; on leek, description, new pathovar, 844; on mango, in Spain, 614; pathogenicity, exopolysaccharide alginate role, S102; superoxide dismutase genes, transcriptional regulation and mutagenesis, S47; temperature-responsive loci, S91; on tomato, leaf factors and toxins, 1094; on tomato, secretion apparatus, analysis, S40; UV-tolerance locus, sequence diversity, S87
Puccinia spp.
—*P. coronata*, biocontrol agent for wild oat, S13
—*P. graminis*, on wheat, resistance genetics, 171
—*P. hordei*: on barley, prehaustorial resistance, inappropriate rust fungi, 856; on barley, resistance genes *Rph9* and *Rph12*, 76; on barley, worldwide virulence, S28
—*P. pelargonii-zonalis*, urediniospores, longevity, S44
—*P. recondita*: on wheat, slow-rusting gene *Lr46*, 890; on wheat, in wheat and wild oat communities, effect, 708
—*P. sorghi*: on corn, resistance and loci mapping, 1324; PIC13 resistance gene, S95
—*P. striiformis*: on barley, field resistance, S77; on barley, quantitative resistance and multivar-

iable comparison, S78; on barley, resistance genes, diallel analysis, S16; on wheat, marker genes, resistance gene analog polymorphism, S81
—*P. substriata*, on pearl millet, hybrids, resistance and yield stability, S97
Pujic, P., S16
Pujol, C. J., S73
Punja, Z. K., 939
Purcell, A. H., S83
Purcifull, D. E., S122
Pyrenophora tritici-repentis
—chlorosis-inducing toxin, wheat gene, S25
—spore production, in wheat straw, S50
—on wheat: PTR ToxA binding, plasma, S62; races and RFLP mapping, S24
—on wheat and grasses, races in US Great Plains, S114
Pyricularia spp.
—*P. grisea*: population structure, vegetative compatibility use, S19; on rice, new Chinese resistance gene, 822; on rice, transmission from seed to seedlings, in Arkansas, S126; on tall fescue, temperature and leaf wetness effect, S90
—*P. oryzae*, on rice, blast suppression from, 735
Pythium spp.: diverse dot blot hybridization, identification, 213; infection, asymptomatic, cytochemistry, 234; on pepper and tomato, growth effects, S63; on rice, infection sites and factors, 1255
—*P. aphanidermatum*: soil suppressive to, soil factors, S34; on tobacco, recovery in transplanting, S35
—*P. arrhenomanes*, on sugarcane, growth and root rot affected by herbicide, 530
—*P. paddicum*, on turfgrass, first record in Canada, S21
—*P. torulosum*, *Bacillus* biocontrol agent, genetic basis, S83
—*P. ultimum*: on cucumber, biocontrol with *Trichoderma*, 673; potato, seed piece decay, tuber wound healing effect, S117

Qi, M., S101
Qiu, D., S65, S74, S96
Qiu, J., S74
Qiu, W. P., S70, S74
Quercus phellos, decline, factors in wildlife refuge in Louisiana, S53
Quimby, P. C., S104
Quiot, J. B., 198

Raaijmakers, J. M. S59, S74, S80
Rabenstein, F., 311
Rachdawong, S., S74
Rademacher, M. R., S74
Radopholus similis, on banana, phenol effect in roots, 1141
Ragland, M., S31
Ragozzino, A., 1200
Raikes, C., 446
Rainfall, kinetic energy, electronic sensor, 950
Rajaei, H., 472, *740*
Rajamäki, M., 311
Rajamannar, M., S7
Rajmohan, R., S82
Ralstonia solanacearum
—*Arabidopsis thaliana*: cover photo, April; resistance, 330
—detection in tomato rhizosphere, PCR, S59
—polygalacturonase role in colonization of tomato, S41
—race 3, lipopolysaccharide of, recombinant antibodies, 795
—in tobacco, resistance from human lactoferrin, 730
—on tomato: soil amendment effect on survival, 300; in xylem, S66
Ramanjulu, V., S74
Ramón-Vidal, D., 673
Ramundo, B. A., S66
Randhawa, P., S84
Randles, A., S59
Randles, J. W., 774
Rangaswamy, V., S104
Rao, A. L. N., 666
Rascoe, J., S75
Raskin, I., 692
Rasmussen, J. B., S30, S50, S112
Rasmussen, S. L., S2
Rasmusson, D. C., S27
Rathburn, H., S75
Raupach, G. S., 1158
Ravelonandro, M., S131
Raymer, P. L., S71
Rebolledo, O., S88
Red clover necrotic mosaic virus
—assembly sequence, vector-based system, S56
—RNA replication, terminal stem-loop structure, S96
Reddy, D. V. R., 872, S71
Redinbaugh, M. G., S75
Reed, B. M., S72
Reedy, R., S76
Reese, C. D., S16
Reeser, P., S42
Reeves, D., S111
Reidy, B., 252
Reilley, A. A., S12
Reimann-Philipp, U., S75
Reimmann, C., 678
Rekah, Y., S75
Resendiz, R., S67
Resistance
—*Arabidopsis thaliana* to bacterial wilt, 330
—barley to leaf rust, genes *Rph9* and *Rph12*, 76
—barley to rust, inappropriate rusts, 856
—citrus to *Phytophthora* spp., histology, 389
—corn to gray leaf spot, 972
—fatty acid modification in plants, S94
—poplar to rust: gene cluster, 156; major gene, 114
—potato to viruses, tissue culture methods, 437
—rice to blast, Chinese resistance gene, 822
—tomato to tomato yellow leaf curl virus, 910
—wheat, rice, and barley, high genetic similarity, S33
—wheat to leaf rust, gene *Lr46*, 890
—wheat to powdery mildew, major gene, 144
—wheat to stem rust, cultivar genetics, 171
Revers, F., 198
Reviewers, acknowledgment of, 4
Rey, M. E. C., S125
Rey, P., 234
Reynard, D. A., S93
Rezende, J. A. M., S75
Rhizobacteria
—growth-promoting: biocontrol of cucumber pathogens, 1158; root colonization and plant response, S76
Rhizoctonia spp.: on bean, induced systemic resistance, 359; on radish, management, S18
—*R. solani*: anastomosis groups, killing reaction detection, S35; on bean and peanut, nucleotide sequence analysis in Brazil, S50; biocontrol with *Bacillus*, in bedding plants, S67; on creeping bentgrass, assessment by radiometry, 446; herbicide effect on mycelium and sclerotia, S36; in potato, AG3 and AG4 groups, S14; in potting mixtures, suppressed by compost, 764; on rice, recombination and gene flow, S71; root rot from, mycorrhizal fungi and transplant survival, S135; on snapbean, potash fertilizer effect, S124; on soybean, biocontrol with binucleate *Rhizoctonia*, 1056; on sugar beet, oligosaccharides and defense response, S35; on tall fescue, resistance components, S33; on wheat, crater disease strain, 366
Rhizosphere
—bacterial communities, FT-ARDRA, S61
—containerized plants, metalaxyl fate, S70
Rhodes, L. H., S99
Rhododendron spp., tissue proliferation in Virginia, S131
Rhodosporidium toruloides, leaf surface adhesion, factors, S12
Rhynchosporium secalis, on barley, histopathology, S52
Ribes nigrum, reversion disease, phage display, 230
Ricci, P., 205
Riccioni, L., 1306
Rice
—bacterial blight: molecular changes in gene, S91; peroxidase and xylem parenchyma, S38; resistance and quantitative trait loci, S50
—blast: appressorium formation inhibited by polyamines, 58; Chinese isolate, new resistance gene, 822; plant age effect, S55; population analysis of pathogen, 223; suppression by avirulent species and *Bipolaris sorokiniana*, 735
—leaf and neck blast: silicon and host resistance, S80; silicon fertilization and fungicides in Colombia, S126
—on *Pythium* spp., infection sites and factors, 1255
—sheath blight, major gene resistance, S126
—stem rot, yield reduction, inoculum level, relations, S17
—*Xanthomonas oryzae*, defense response compounds, S60
Rice dwarf virus, virus adsorption to insect vector cells, S69
Rice tungro bacilliform virus
—coat protein characterization, mass spectrometry, S58
—polymerase gene and transmission, S69
Rice tungro spherical virus, on transgenic rice, resistance, S41
Rice, J. D., S11
Rich, P. E., S76
Richards, W. C., S113
Richardson, E. A., S63
Richardson, M., S94
Richter, T., S95
Ridout, M. S., 1000
Riedel, R. M., S99
Riegel, C., S76
Riegel, D. M., S97
Riggs, R. D., 465, S28, S89, S95
Riley, K., S72
Riley, M. B., S70
Rimelspach, J. W., S30
Riopel, J. L., 70
Rioux, D., 494
Ristaino, J. B., 1120, S12, S90, S95
Ritchie, D. F., S49, S76
Rivas, G., S13
Rivas-Davila, J. E., S76
Rivas-Davila, M. E., S76
Rivera-C., J. M., S118
Rivera-Smith, C., S19
Rivera-Vargas, L. I., S120, S122
Rizzo, D. M., S76, S108
Roark, R. S., S9
Robbins, J. T., S121
Robbins, R. T., S77
Roberts, B. W., S24
Roberts, D. P., S76
Rodríguez, R., 292
Rodríguez-A., J., S67
Rogers, J. D., S47
Rokka, V-M., 1073
Rollins, J. A., S76
Rolshausen, P. E., S76
Romaine, C. P., S16, S69, S86
Romero, A. M., S76
Ronald, P., S15
Roncadori, R. W., S5
Room, P. M., S70, S98
Roossinck, M. J., S5, S52

Rose
—blackspot, winter treatment, S9
—gray mold: calcium sulfate effect, *1116*; postharvest treatments, S20
—powdery mildew, biological and chemical fungicides, S135
Rosellinia bunodes, on coffee, *Pseudomonas* effect, S13
Rosendahl, S., 992
Rosewich, U. L., 1087, S71, S77
Ross, D. C., S6
Rosskopf, E. N., S63
Rotenberg, D., S77
Rothrock, C. S., S48, S92, S93, S125, S127
Rott, P., S20
Rotylenchulus reniformis, in cotton, in Tennessee, S85
Rouse, D. I., S64, S77
Routh, G., 1238
Rouxel, T., 1210
Rowe, R. C., S69
Rowhani, A., 1231, 1238, S32
Roy, S., 576
Royse, D. J., S16, S69
Rubsam, R. R., S68, S113
Rudolph, K., S59
Ruiz-Herrera, J., S58
Rundell, P. A., S73
Rupe, J. C., S42, S48, S55, S77, S125, S127
Rush, C. M., S12, S27, S37, S57, S71
Rush, M. C., S126
Russell, B. W., S63
Russin, J. S., 276, S16, S32, S86, S90
Russo, J. M., S57
Russo, P., 437
Rutherford, M. A., 30
Ryba-White, M., S77
Rybicki, E. P., 422
Ryder, E. J., S41, S86
Rye
—ergot: extracellular catalase secretion, role in disease, 744; xylanolytic system, gene characterization, 1020
—*Fusarium culmorum*, deoxynivalenol and nivalenol, 879
Ryegrass mosaic virus, in New Zealand, S95
Rymovirus, wheat streak mosaic and brome streak mosaic viruses not members of, 782

Saavedra, E. D., S122
Sabo, A., S28
Saguaro cactus virus, alanine mutagenesis, infectivity, S51
Sahin, F., S63
Salas, B., S77, S117
Saldarelli, P., 1238
Salix spp., beetle, nematode, and fungus association, S47
Sams, C. E., S18
Samson, R., 844
Sanchez, V., S13
Sanders, C., S102
Sandler, H. A., S77
Sandoval-Islas, J. S., S77, S78
Sandrock, R. W., 137, 939
Sands, D. C., S4, S10, S13, S89
Sanford, J. C., S83
San Francisco, M. J. D., S91
Sangare, A., S71
Sanger, M., 1192, S31
Sanogo, S., S78, S113
Santos, R. C., S64
Sapers, G. M., S43
Sarah, J. L., 1141
Sarath, G., S103
Sasinowski, M., S104
Sato, M., 1205
Saunders, S., S83
Savelle, A. T., S79
Sawyer, T., S78
Scardaci, S. C., S17, S106
Schaad, N. W., S7, S9, S29, S84, S101, S131
Schading, R. L., S78, S96
Schafer, J., S19
Schardl, C. L., S8, S19, S37, S130, S131, S133
Scharen, A. L., S78
Schaus, P. J., S16
Scheck, H. J., S78
Scheets, K., S78
Schergaut, M., S91
Scherm, H., S18, S26, S79, S125
Schiller, C. T., S3, S79, S136
Schisler, D. A., S47, S118, S129
Schlenz, M. L., S79
Schmidli-Sacherer, P., 678
Schmidt, R. A., S33
Schmitthenner, A. F., S22
Schneider, A. T., S107
Schneider, K., S104
Schneider, R. W., 1255, S79
Schneider, S., S79
Schoelz, J., S2
Schollenberger, M., 879
Scholthof, H. B., S21, S70, S75
Scholthof, K.-B. G., S6, S74
Scholz-Schroeder, B. K., S79
Schots, A., 795
Schraeder, P. L., S12
Schroeder, K. L., S59, S80
Schubert, K. R., S39, S40, S75
Schuhmacher, U., 879
Schulbach, K. F., 1046
Schultz, M. H., S82
Schultz, P. M., 895
Schulze, D. G., S113
Schulz-Wulkow, S., S35
Schumacher, E., S75
Schuster, D. J., S65
Schuster, S., S27
Schwarczinger, L., S131
Schwartz, H. F., S36, S107
Sclerostagonospora salsolae, on *Salsola kali*, biocontrol, S131
Sclerotinia spp.
—*S. homoeocarpa*, hypovirulent isolates, dollar spot suppression, 788
—*S. minor*: on lettuce, drip irrigation suppression, 252; on peanut, resistance, S1
—*S. sclerotiorum*: airborne ascospores, microthread technique, S116; alfalfa after soybean, establishment, S136; apothecium production, S41; apothecium production, light, temperature, and moisture effect, S87; apothecium production, prediction, S118; ascospore survival, S91; on bean, airborne populations, S114; biocontrol agent for spotted knapweed, S4; *Coniothyrium minitans* as control, in beans, S11; mycoflora parasitic to sclerotia, S115; sclerotial development, oxalic acid production, S76; sclerotial germination, moisture and temperature effect, S36; species distinction, RAPD data, S85
Sclerotium oryzae, on rice, residue treatments, S106
Scorza, R., S131
Scott, D. L., Jr., S132
Scott, J. W., 33
Scow, K. M., 344
Sears, J. L., S54
Secor, G. A., S77, S117
Sedegui, M., S132
Seebold, K., S80, S126
Seed testing, quality control, reference material, S91
Seem, R. C., 902, S25, S30, S57, S79
Seifers, D. L., S80
Selinger, L. J., S11
Sellers, P. R., S117
Senecio vulgaris, *Puccinia lagenophorae* as biocontrol agent, S99
Seo, J. K., S68
Septoria spp.
—*S. betulae*, on birch, acidic fog interaction, S49
—*S. musiva*, on poplar, biocontrol, S35
—*S. tritici*, virulence variation in isolates, S27
Serlemitsos, K., S132
Serrano, M. S., S40
Serratia marcescens, on cucumber, iron role in resistance, S73
Sether, D. M., 1224, S80
Setosphaeria turcica, on corn, tropical and temperate climates, 322
Sha, X. Y., S126
Sha, Y., S80
Shabana, Y. M., S80
Shabi, E., S29
Shafik, H., 844
Shain, L., S80
Shapiro, J. N., S79
Sharma, H., 851
Sharp, L. P., S81
Shaver Adams, M., S85
Shaw, M. E., S109
Shaw, M. W., 492
Shea, E., S102
Shelby, R. A., S81
Shelton, K. L., S127
Shen, T. L., S12
Sherwood, J. E., 456, S4, S49
Sherwood, J. L., 98, 428, S61, S97
Shetlar, D. J., S30
Shetty, K., S81, S103
Shetty, K. G., S81
Shew, B. B., S41
Shew, H. D., S14, S35, S41
Shi, A. N., 144
Shi, Z. X., S81
Shiel, P. H., S34
Shiel, P. J., S59
Shields, J. P., S22
Shields, P. L., S27
Shim, W. B., S81
Shinners, T. C., S82
Shiomi, T., 804
Shishkoff, N., S136
Shokes, F. M., S33
Shriver, J. M., S82
Shtienberg, D., S75
Shulze, D. G., S118
Siegerist, W. C., S42
Sikinyi, T. M., S117
Sikora, E. J., S65, S82
Silene alba, anther smut, resistance pattern, S43
Sim, J., S21, S39, S55
Sim, S. T., S32
Simard, M., 494
Simpson, J., 292
Sims, J. J., S42, S84
Sinaloa tomato leaf curl virus, new subgroup III, molecular evidence, 648
Sinclair, W. A., 1372, S38
Singh, N. P., S1
Singh, R. P., 890, S82
Sinisterra, X. H., S82, S122
Sinsabaugh, R. L., S53
Sipes, B. S., S94
Sit, T. L., S56
Siuzdak, G., S58
Sivamani, E., S41
Sivaprasad, P., S82
Skaf, J. S., S82
Skaria, M., S122
Skelly, J. M., S49
Skrzeczkowski, L. J., S108
Slack, S. A., 437, S136
Slaughter, G. W., S76
Slaymaker, D., S82
Slininger, P. J., S47
Smart, C. D. (Calif.), 862, S83

Smart, C. D. (N.Y.), 939, S59
Smedegaard-Petersen, V., 698, 735
Smilanick, J. L., S58, S64, S83, S109
Smiley, R. W., S21
Smith, A. G., S50
Smith, B. J., S5, S126
Smith, C., S89
Smith, F. D., S83
Smith, G. S., S99
Smith, J. P., S56
Smith, K. P., S83
Smith, M. T., S47
Smith, M. W., S23
Smith, O. P., S130, S133
Smith, T. H., S3
Smith-Becker, J., S83
Smither-Kopperl, M. L., 382, S83
Snetselaar, K., S132
Snyder, G., S80, S126
Snyder, K. E., S29
Snyder, W. E., 1248
Sobero, P., S32
Soil fumigation, methyl iodide, efficacy, S42
Soil solarization
—pest reduction in impatiens, in Florida, S60
—poplar, soil microflora populations, S117
—soilborne plant pathogens, in Oregon, S108
Solanum spp. (see also Potato), root-knot nematodes, virulence variation, 658
—*S. tuberosum*, somatic hybrid, bacterial wilt resistance lines, S51
Solel, Z., 1218
Solheim, H., 39
Soliman, K. M., S31
Somai, B. M., S83
Somers, D. A., 1013, S73
Sommerfeld, R. A., S56
Somodi, G. C., 33
Song, W. Y., S84
Sonoda, R. M., S84
Sorensen, L. H., S107
Sorghum
—anthracnose, genetic structure, 1087
—ergot, spread in USA and Mexico, S123
—phytoalexin, synthesis using photodiode array-HPLC, S96
—phytoalexin biosynthesis, molecular basis, S55
—*Striga asiatica* on, haustorial development, 70
Sorghum analysis of ITS region, detection, S24
Sosa, M., S120
Sosnoskie, L. M., S84
Soto-Estrada, A., S84
Souik, P., S114
Souza, M. T., Jr., S84, S137
Souza, N. L., S50, S70
Soybean
—aluminum toxicity, molecular characterization, S31
—brown stem rot, residue factors, S111
—canopies, biological UV-B dosimetry, S102
—cyst nematode: biocontrol with fungus, 465; herbicide effect, S10; race population, S95; resistance in Minnesota, S16; resistance screening, S127
—flooding effect on fungi, S125
—*Fusarium* and *Phomopsis* on seed of, factors, S32
—Phomopsis seed decay, pod and stem blight, and stem canker, isolate grouping, 1306
—phosphorylation changes, syringolide-elicited protein, S82
—Phytophthora root and stem rot, flooding effect, S22
—Phytophthora root rot and damping-off, swine manure effect, S112
—*Phytophthora sojae*: and damping-off, swine manure application, S117; manganese in hypocotyl lesions, S113; races, in Arkansas, S125; susceptibility and microgravity, S77
—phytoplasma: clover proliferation and aster yellows groups, in Wisconsin, S116; survey in Wisconsin, S52
—powdery mildew and brown stem rot, fungicides, S3
—*Pythium* on roots, flooding effect, S48
—*Rhizoctonia solani* biocontrol with binucleate *Rhizoctonia*, 1056
—root-knot nematode and *Caenorhabditis elegans*, glycolipid comparison, S16
—rust, sequence comparison of rust species, S70
—*Sclerotinia sclerotiorum*: cultivar response, S118; resistance and isoflavones, S96; yield loss, S101
—Sclerotinia stem rot: control with *Sporidesmium sclerotivorum*, S110; resistance evaluation, S57
—seedling blight, fungicides in Argentina, S30
—sudden death syndrome: *Fusarium* and cyst nematode distribution, under irrigation, S77; herbicide effect, S78; yield loss, S56
—syringolide elicitors, binding protein, S44
—white mold: crop rotation and reduced tillage effect, S33; seed transmission biology, S65
Soybean dwarf virus, yellowing strain
—sequence determination, S133
—subcloning portions, S130
Soybean mosaic virus
—coat protein-mediated resistance, S118
—field spread, quantification, 895
—virulence determinants, S25
Spalding, R. J., S80
Spatial analysis
—nonrandomness and aggregation, letter to editor, 84
—plant pathogen populations, geostatistics and geography, S43
—SADIE, new test for aggregation, evaluation, S90
Spear, R. N., S4
Sphaeropsis sapinea, on red pine, phenolic concentration, water stress, 245
Sphaerotheca fuliginea, Milsana and BTH effect, S99
Spiegel, L., S93
Spinach
—downy mildew, new races, S19
—resistance and fungicide effect on yield and quality, in Maryland, S130
—white rust, control with resistance and fungicides, S136
Spiroplasma, engineered antibodies in plants, symposium, 1367
Spiroplasma spp., species distinction using spiroplasmavirus, S20
—*S. citri*: adherence to cells of vector, 89-kDa membrane protein, S102; aster yellows phytoplasma comparison, pathogenicity, symposium, 1347; gene presence and expression, arbitrarily-primed PCR, S75; proteins, adherence to leafhopper vector, S95; vector interface, symposium, 1351; virus features, S80
Sporidesmium sclerotivorum, macroconidial germination, factors, S21
Spruce, blue-stain fungi and bark beetle association, 39
Stack, R. W., S84, S116, S117, S118
Stagonospora nodorum, on wheat, virulence variation in European collection, S78
Stall, R. E., 33, S5, S63, S90
Standing, K. G., S111
Stange, R. R., S84
Stanghellini, M. E., S2, S62, S121
Stanosz, G. R., 245
Starratt, A. N., 1094
Stavely, J. R., S67, S85
Stavolone, L., 1200
Steadman, J. R., S85
Stebbins, T. C., S85
Steddom, K. C., S85
Steffenson, B. J., 76, S28, S85
Steinemann, A., S37
Stenger, D. C., 782, 1174, S11, S30, S85
Stenotrophomonas maltophilia, chitinases, characterization, S103
Stensvand, A., 902
Stetina, S. R., S9
Stevens, M. K., S34
Stevenson, K. L., 1294, S10, S33, S90, S124
Stevenson, W. R., S23
Stienstra, W. C., S16, S62
Stipanovic, R. D., S40
Stipes, R. J., S128
Stockwell, V. O., 506, S85
Stolk, C., 481
Stone, J. K., 122, 1165, S108
Storer, A. J., S9, S85
Stosz, S. K., 576
Stover, E., S18
Strausbaugh, C. A., S86
Strawberry
—angular leaf spot, JMS Stylet Oil effect, S28
—anthracnose, infection ontogeny, S126
—Botrytis fruit rot, forecasting model in California, S9
—Botrytis gray mold, calcium chloride effect, S26
—crown rot and fruit rot, genotypic differences in pathogen isolates, S123
—fumigation, fungus pathogenicity, S100
—gray mold: plant phenology, S13; production systems, S124
—leaf blight, spatial pattern analysis, in Ohio, S90
—powdery mildew: controlled by *Verticillium lecanii*, in California, S63; severity assessment, S108
—root and shoot growth, rhizosphere and microflora root pathogens, S58
—soilborne pathogens, solarization for management, S42
—soil fumigation and bacteria, S100
Street, J. R., S30
Streptomyces spp.: antibiotic induction, diverse species, S7; detection in soil using PCR, S52; pathogenicity island, horizontal transfer, S12
—*S. ipomoeae*: on sweetpotato, diversity factors, 1179
—*S. scabies*: on potato, phytotoxin, 442; thaxtomin, pathotoxin, S2
Strickler, P., S67
Striga spp.: control by bacteria, S7; species hybrids, reproductive ability, 563
—*S. asiatica*: haustorial development, hosts and nonhosts, 70; on sorghum, radicle effects in haustorium, January cover photo
Strobel, G. A., S2
Stromberg, E. L., S74
Stuart, G. W., S32
Stump, W. L., S29, S86
Stutz, J. C., S86
Stylosanthes spp., anthracnose, pathogenic variation and center of diversity, S14
—*S. scabra*: anthracnose and insect grazing, morphogenesis, S98; anthracnose, CO_2 and epidemiology, S70
Su, G., S86
Su, H., S86
Subbarao, K. V., 252, 1046, 1108, S8, S36, S41, S81, S86, S99
Sugar beet
—Aphanomyces seedling disease, assay, S44
—Cercospora leaf spot: fungicides and bacteria, S10; phyllosphere bacteria, S18
—fungal pathogens, actin gene sequence, assay, S114
—irrigation regime, pathogen effect, S27
—viruses, serological tests for detection, S37
—water use and disease severity, S71
—yellowing, luteovirus cause, S54

Sugarcane
—*Pythium* and nematode relations, S9
—Pythium root rot, herbicide effect, 530
—ratoon stunting, pathogen detection, S20
Sugarcane mosaic virus, resistant transgenic varieties, S1
Suh, S.-O., S86
Sullivan, T. A., S43
Sulzinski, M. A., S86
Summerell, B. A., 30, S135
Sun, P., 592, S87, S118
Sun, Q., S41, S87
Sundaram, S., S87
Sundin, G. W., S87
Sundsbak, J., S114
Suneetha, S., S82
Sunflower
—mosaic-causing potyvirus, from Texas, S34
—white rust, resistance, S116
Sung, G. H., S87
Sung, J. M., S87
Supramana, S., S87
Susi, P., 230
Sutherland, M., S77
Sutton, T. B., S4
Sutula, C. L., S100
Swanson, S., S87
Sweat, T. A., S60
Sweetpotato
—geminivirus, identification, S55
—Streptomyces soil rot: diversity factors, 1179; pathogen diversity, 1179
—viruses, yield effect, S17
Szabo, L. J., S24, S50, S88
Szczech, M., 764

Tabor, G. M., S118
Tainter, F. H., S45, S60, S88, S100
Takayama, Y., S46
Talaromyces flavus, biocontrol agent, glucose oxidase and immunocytochemistry, 576
Tally, A., S18, S51, S88
Tam, Y. K., S53
Tanaka, M., S88
Taylor, J. D., S91
Taylor, S. E., S68
TeBeest, D. O., S55, S125, S126
Teixidó, N., 960
Téliz, D., S67
Tenberge, K. B., 744, 1020
Tennant, P., S84
Termorshuizen, A. J., 481
Tessmann, D. J., S88
Teufel, K. M., S86
Tewari, I., S89
Tewari, J. P., S52, S65, S82, S89, S101
Thaxton, P. M., S99
Thielaviopsis basicola, on cotton, histology, S93
Thies, J. A., S89
Thinopyrum intermedium, barley yellow dwarf virus resistance source, 851
Thomas, C. E., S95
Thomas, C. S., S89
Thomas, M., S14
Thomashow, L. S., S59, S80
Thompson, D. C., S89
Thompson, I. A., S118
Thompson, M., S111
Thordal-Christensen, H., 698
Tian, H., S89
Tian, T., 164
Tiffany, L. H., S115
Tilletia spp.: bunt and smut disease, teliospore germination, 260; teliospore germination, inhibition by *Ustilago hordei*, S49
—*T. indica*: teliospore germination, stimulation, S9; on wheat, detection by PCR, S29
Timko, M. P., 70
Timmer, L. W., 724, 1218, S104
Tiourebaev, K. S., S4, S89
Tirilly, Y., 234
Tisserat, N. A., S93, S96
Tobacco (see also *Nicotiana* spp.)
—black shank, resistance and rating systems, S44
—blue mold: harpin effect, S65; suppression by fungicides, S50
—disease resistance, *myb* gene, S101
—geminiviruses, whitefly-transmitted, molecular diversity, S92
—*myb1* promoter, pathogen-inducible, S101
—peanut stunt virus, cytoplasmic inclusions, 1192
—*Phytophthora parasitica*, virulence diversity, 205
—transgenic, *Ralstonia solanacearum*, resistance from human lactoferrin, 730
—Virgin A Mutant, potyvirus resistance, S1
Tobacco mild green mosaic virus, isolate diversity, S8
Tobacco mosaic virus
—defective replicase gene, resistance, S40
—*N* gene elicitor, characterization, S39
—satellite, variants, 514
—systemic resistance, harpin induction, S74
—tetracycline-induced accumulation, in transgenic tobacco, S75
Tobacco necrosis virus
—ELISA for detection, S100
—systemic resistance, salicylic acid biosynthetic genes, 678
Tobacco ringspot virus, in *Xiphinema americanum*
—cover photo, September
—localization, 885, S127
Todd, J. W., S33, S127
Tomaru, M., S69
Tomas, A., S32
Tomato (see also *Lycopersicon* spp.)
—bacterial canker, ingress through hydathodes, 525
—bacterial speck, leaf factors and toxins, 1094
—bacterial spot: control with compost extracts, S3; plant activator, S55; race 3 in Florida, 33
—bacterial wilt, soil amendment effect on survival, 300
—begomoviruses, in Puerto Rico, S42
—cucumber mosaic virus, replicase mediated resistance, 1101
—disease management strategy, in Ohio, S99
—foliar and fruit diseases, control by compost and Actigard, S63
—Fusarium crown and root rot, fertilizers and management, S23
—geminivirus DNA-A component, S81
—IPM practice, in Alabama, S82
—late blight: resistance induced, S100; specificity in Ecuador, 265
—lesion nematode, marigold as control, S3
—*Pythium* infection: asymptomatic, 234; paratracheal tissue, cover photo, March
—Sinaloa tomato leaf curl virus, new subgroup III, molecular evidence, 648
—Southern blight, factors and yield, S12
—tospovirus resistance, in Brazil, S28
Tomato bushy stunt virus
—host-specific RNA elements, S70
—movement genes, defective interfering RNAs, S75
—purification, movement proteins, S21
Tomato chlorosis virus, whitefly-transmitted, 402
Tomato leaf crumple virus, nucleotide sequence, S44
Tomato mottle virus
—protection in field, S65
—on tobacco, transformation by coat protein, S82
Tomato ringspot virus, on pelargonium, detection, S40
Tomato spotted wilt virus
—epidemiology and pathosystem in Mexico, S68
—glycoproteins, thrips midgut protein interaction, 98
—monoclonal antibodies and resistance, S40
—N gene, comparative resistance, S34
—on peanut, resistance, S33
—receptor in thrips vector, immunoprecipitation, S61
—thrips protein binding, 63
—tissue blot immunoassay, development, S97
Tomato yellow leaf curl virus
—detection and identification, immunoassay, 1302
—resistance in *Lycopersicon hirsutum*, 910
Tonkyn, D. W., 1248
Toojinda, T., S16
Tooley, P. W., S29, S132
Torbert, K. A., 1013
Torés, J. A., 614
Torrance, L., 230, 1302
Torres Jerez, I., S92
Toxins
—thaxtomin A, potato scab, 442
—α-tomatine, on tomato, fungal sensitivity to, 137
Toxoptera citricida, citrus tristeza virus relation, infection pattern in Costa Rica and Dominican Republic, 621
Trail, F., S4, S89
Trapero-Casas, A., 983
Traunfeld, J. H., S57
Travis, J. W., S68, S130
Treber, M., S102
Tremblay, D., S19, S89
Trevathan, L. E., S121
Trialeurodes vaporariorum, tomato chlorosis virus vector, 402
Trichoderma spp., protoplast fusion, variable progeny, S36
—*T. harzianum*: on apple, exochitinase gene from, S8; biocontrol strains, mushroom green mold relation, S69; on creeping bentgrass, in rhizosphere and phylloplane, transformation, 129; on mushrooms, phylogenetic analysis, S16; in wood, mushroom composts, S14
—*T. longibrachiatum*, transformants, *Pythium* biocontrol in cucumber, 673
—*T. virens*, cotton seed treatment, phytoalexin induction, S40
Tricoli, D. M., S34
Triplett, E. W., S46
Trout, C. L., S90
Trujillo, E. E., S122, S123
Truta, A. A. C., S64
Tsuge, T., 804
Tubajika, K. M., S90
Tudela, A. F., S9
Tudor, S. M., S90
Tudzynski, P., 1020
Tuitert, G., 764
Tuori, R., S78
Turechek, W. W., 1294, S90
Turfgrass (see also *Agrostis stolonifera* and Bentgrass)
—azoxystrobin uptake and redistribution, S6
—dew duration measurement, impedance leaf wetness sensor, S93
—dollar spot: paclobutrazol effect, S62; suppression by hypovirulent isolates, 788
—dollar spot and nutrition, factors, S30
—endophyte infection, volatile compounds, S94
—gray leaf spot, cultural factors, S137
—nematodes, fenamiphos-alternatives for control, S137
—*Pythium* spp., detection using dot blot hybridization, S21
—trifloxystrobin, S2
Turina, M., S6, S74
Turkington, T. K., S52, S65
Turnbull, G. D., S94
Turnip mosaic virus
—helper component protein, purification, S94
—isolate variability, 1200
Tuzun, S., S1, S65, S74, S100, S103

Uchida, J. Y., S45, S46, S90
Uddin, W., S90

Uehara, T., S88
Ullman, D. E., 98, 1224, S61, S72, S97
Ullrich, B., S91
Ullrich, M., S91
Ulocladium atrum, biocontrol agent for *Botrytis* on cyclamen, 568
Umaharan, P., 1262
Uncinula necator
—fungicides, resistance-management strategy, S97
—on grape, inoculum trapping system, S35
Uncinuliella australiana, haustorial ultrastructure, S63
Uphoff, M. D., S101
Urban, S. C., S72
Urena, A., S123
Uromyces spp., on legumes, phylogenetic relations, ITS region analysis, S88
—*U. appendiculatu*, on bean: chlorothalonil application, S115; races in North Dakota, S114; resistant germplasm, S85; survival in North Dakota, S111
Usall, J., 960
Ustilago spp.
—*U. hordei*: cell morphology and pigmentation, factors, S54; mating inhibitor, 456; mating, pheromone-related agonists and antagonists, S49; mating response, pheromone, S4
—*U. maydis*: glucanase isolation, S58; mating-impaired mutants, S132; on sweet corn, silk age and pollination effect, S24
Uyemoto, J. K., 1231, S91
Uzunovic, A., S30, S47, S101

Vachon, J., 442
Vaiciunas, S. S., S137
Vajna, S131
Valette, C., 1141
Valinsky, L., S6
Valkonen, J. P. T., 311, 1073
Vallejos, C. E., S72
Valmeekam, V., S91
Valverde, R. A., S17, S21, S39, S21
Van Alfen, N. K., S59
van Beckhoven, J. R. C. M., 795
van Bruggen, A. H. C., S34, S86, S99
Vancauwenberge, J. E., S118
Vance, C. P., S73
Vance, V. B., S3
Vande Hei, R. L., S61
van den Berg-Velthiuis, G., 1315
van den Bosch, F., 481
van den Bulk, R. W., S91
van den Heuvel, J. F. J. M., S29, S39
van der Beek, J. G., 658
van der Lee, T., 1315
Van der Meij, J., S83
van der Wilk, F., S29, S39
van der Wolf, J. M., 795
van der Zouwen, P. S., S91
van der Zwet, T., S129, S132
van de Wetering, F., 63
Van Eck, J. M., S83
VanEtten, H. D., 137
VanGessel, M. J., S84
VanHouten, W., S72
Vanlerberghe-Masutti, F., 205
van Riessen, H. W., S91
VanTaoi, T. T., S22
van Twisk, C., 795
van Wyk, P. S., S116
Vargas-Ayala, R., S122
Varma, A., S7
Vasquez, S. J., S78, S91, S108
Vazquez, A., S72
Veenbaas-Rijks, W. J., 922
Vegetables, bacterial leaf spots, characterization in Oklahoma, S104
Velasquez, L., S89
Velasquez-Valle, R., S123
Venard, P., 205
Veneau, J., 472, *740*
Venette, J. R., S34, S91, S111, S114, S115, S116
Venturia inaequalis
—ascospore discharge, factors, 902
—ascospore maturation discharge, in Croatia, S45
—*Microsphaeropsis* sp. interaction, cytochemistry, 605
Vera Cruz, C. M., S91
Verbeek, M., S29, S39
Verchot, J., S42
Verticillium dahliae
—on broccoli, reduction mechanism, S81
—on cauliflower: crop rotation and irrigation effect, 1046; disease management, 1108
—comparison in several crops, S107
—genetic characterization, PCR and vegetative compatibility, S8
—green fluorescent protein, S78
—host specificity, S8
—population density in soil, botanical extracts, S128
—on spearmint and peppermint, vegetative compatibility, S23
Vesonder, R. F., S92
Vicia spp., *Rhizobium* and *Botrytis* interaction in seedlings, S25
—*V. faba*, *Botrytis* infection, resistance, S66
Victry, K. D., S52
Vidaver, A. K., 730, S47, S133
Vidavsky, F., 910
Viljoen, A., S116
Villar, M., 156
Villarreal, A., S92
Viñas, I., 960
Vinca, Pythium damping-off, biocontrol:
—with *Rhizoctonia*, S124
—with *Trichoderma*, S13
Viquez, O. M., S73
Viruses
—closteroviruses, aphid-transmitted, genomic organization and evolution, S46
—coat protein: analysis by mass spectrometry, S111; neutralizing antibody, HIV-1 epitope, S35
—Geminiviridae, evolutionary history, CP gene core region, S120
—geminiviruses, pathogen-derived resistance, S122
—potyviruses: serological relations, 965; single-chain antibodies, cloning, S58
—soil, extraction and detection using PCR, S53
—synergism between unrelated viruses, ultrastructure, S58
Vivanco, J. M., S133
Vivar, H. E., S16, S77
Viveros, M., S12
Voelksch, B., S7
von Broembsen, S. L., S23, S92
Vyn, T. J., S33

Waalwijk, C., 30
Wada, M., S69
Wadsworth, M. L., S109
Waight, K., S57
Walcott, R. R., S92
Waldenmaier, C. M., S3, S128
Walgenbach, D. D., S16
Walk, T. E., S127
Walker, J. T., S92
Walker, M. A., S6
Walker, N. R., S92, S93, S127
Walker, S. L., S93
Walkinshaw, C. H., S93, S127
Wall, G. C., 774, S93, S123
Walla, J. A., S35, S93
Wallace, H., S17
Walsh, B., S93
Waly, E., S66
Wang, C., S94
Wang, D., 376
Wang, H., S94
Wang, H.-L., S94
Wang, J. (Ky.), S131, S133
Wang, J. (Ind.), 1269, S17
Wang, J.-S., S65
Wang, K., 811
Wang, K.-H., S94
Wang, M., S40, S122
Wang, R. Y., S94
Wang, S. (Ark.), 885, S94, S95, S127
Wang, S. (Iowa), S63
Wang, X. (Iowa), S118
Wang, X. (N.Mex.), S109
Wang, Y., 1101
Wang, Y. H., S95
Wangsomboondee, T., S95
Ward, K. T., S95
Ward-Rainey, N., 1179
Warren, H. L., S128
Watada, A. E., S18
Watanabe, K. N., 1073, 1205
Watanabe, Y., S69
Watermelon (see also Melon)
—fruit blotch, PCR primers for identification of pathogen, S84
—gummy stem blight, fungicides and yield, S125
—gummy stem blight and anthracnose, fungicides and MELCAST, S27
—seedling damage, yield loss components, S24
Watermelon silver mottle virus, ambisense M RNA comparison, 351
Watson, A. K., S135
Watson, M. T., 164
Wax, L. M., S10
Wayadande, A., 1351, S95, S102
Wearing, L. P., S95
Webb, C., S95
Webb, K., S131
Webster, D. E., S95
Webster, R. K., S17, S106
Wechter, W. P., S96
Wedburg, J. L., S52
Weeds
—biocontrol, *Uromyces rumicis* relation, S129
—pathogens, host-specific response, S15
Wegulo, S. N., S68, S96, S118
Wehner, F. C., 366
Wei, Z.-M., S65, S67, S69, S74, S78, S87, S96
Weidemann, G. J., S72
Weiland, J. J., S114
Weingartner, D. P., S19
Weinzierl, R. A., S38
Weiss, B., S88
Welch, T. L., S133
Weller, D. M., S59, S74, S80
Wellings, C., S81
Welty, L., S19
Welz, H. G., 322
Weng, Z., S96
Wergin, W., 576
Wesenberg, D., S85
West, C. P., S19
Westphal, A., S96
Wetzel, H. C., III, S96
Wharton, P. S., S96
Wheat
—crater disease, characterization, 366
—curl mites, virus transmission of High Plains virus, S80
—deoxynivalenol, identification by mass spectrometry, S113
—*Fusarium graminearum*, spike infection, S73
—Fusarium head blight: recombinant inbred lines, S116; resistance, Chinese lines, S56; resistance inheritance in hybrids, S84; *Triticium dicoccoides* as resistance source, S118
—head scab, biocontrol strategy, S47
—Karnal bunt, teliospore detection, sieving, S131

—leaf rust: plant density and species proportion factors, 708; slow-rusting gene, S82; slow-rusting gene *Lr46*, 890; yield and kernel weight, fungicide effect, S121
—*Microdochium nivale* on, soil top dressing effect, S66
—powdery mildew, major gene from einkorn to common, 144
—Ptr necrosis toxin, host metabolism role, S112
—rhizosphere: bacteria, lactone mediated signaling, S71; manganese, bacteria, S118
—root rot, fungi associated, in Mississippi, S121
—scab, deoxynivalenol effects, in Wisconsin, S114
—signal transduction, Ptr ToxA, action, S50
—smut and Karnal bunt, S19
—stem rust: new resistance sources, S44; specific resistance, 171
—take-all, control in China, S35
—tan spot: infection period modeling, S21; insensitivity to toxin, S30
—tan spot and Fusarium head blight, previous crop effect, S116
Wheat soilborne mosaic virus, yield and grain quality effect, S42
Wheat streak mosaic virus
—brome streak mosaic virus comparison, not *Rymovirus*, 782
—protein-protein interactions, S30
—resistance in soft white winter wheat, S59
—sequence and phylogeny, S85
—in winter wheat, seedling evaluation, S112
Wheeler, D. M., S91
Whigham, K., S78
Whistler, C. A., S85
White, D. G., 972
White, F. F., S101
White clover, peanut stunt virus on, S61
White pine (see also Pine)
—*Armillaria* on, ecology in Idaho, S60
—blister rust: genetic structure in populations, 1187; insects involved in spermatiation, S67
Whitfield, A. E., S97
Whittington, D. P., S84, S132
Wick, R. L., S135, S137
Widmer, T. L., 389, S97
Widstrom, N. W., S53
Wiebold, W. J., S99
Wiecko, A. T., S93, S123
Wikler, K., S9, S97
Wilcox, W. F., S25, S30, S97, S98
Wilkinson, H. H., S8
Willard, L. H., S38
Williams, H., S123
Williams, J. G., S100
Williams, M., S102
Williams, P. H., 1068
Williams, W. P., S98
Wilson, A. D., S97
Wilson, C. L., 282, S21
Wilson, J. P., S97
Wilson, L. L., 536, 950, S68
Wilson, M., S27, S44
Wilson, P., S98
Wilson, S. K., S92
Windells, C. E., S24
Windham, G. L., S98
Wingfield, M. J., S97
Wintermantel, W. M., S98
Wisler, G. C., 402, 1040, S54
Wisniewski, M., 282
Wolf, D., 1101
Wolf, T. K., S129
Wolff, D. W., S104
Woloshuk, C. P., S28, S81, S98
Wolpert, T. J., S18, S20
Wong, F. P., S98
Wong, K. W., S136
Wong, S.-M., S27, S102
Woo, S., 30
Wood
—brown rot and white rot, detection with PCR assay, S43
—debris, ergosterol measurement, S45
—fungal sapstain, in Canada, S101
Wood, D. L., S9, S85
Wood, D. W., S71
Woods, D. M., S98
Wrather, J. A., S99
Wright, D. S., S60
Wright, R. J., S99
Wu, B. M., S99
Wu, J., S58
Wu, W., S92
Wuest, P. J., S4, S14, S50, S134
Wurms, K. V., S99
Wyatt, S. D., S59, S120
Wyenandt, C. A., S99
Wyss, G. S., S99
Wyss, U., S100

Xanthomonas spp., on citrus and cotton, protein signal, S23
—*X. campestris*: on anthurium, survival in crop debris, S23; on cole crops, lineages, S56; on crop debris and weeds, survival, S6; DF pheromone, gene identification, S72; on geranium, distribution, S86; HR elicitor, characterization, S87; insertion sequence and distribution among xanthomonads, S49; on pepper, resistance and mutations of *avrBs2* locus, S49; *Pseudomonas syringae* comparison, molecular analysis of genetic locus, S63; race T3, single locus resistance, S5; on sorghum, DNA probes for detection, S66; on tomato, acquired resistance from Actigard, S124; on tomato, bacteriocins and race 3 antagonism, S90; on tomato, race 3, 33; xanthomonadin pigments, biological role, S72
—*X. oryzae*: in *Arabidopsis*, resistance elicitation, AvrXa10, S101; protein interaction with avirulence gene, S117; on rice, aggressiveness genes, mutagenesis vectors, S114; on rice, avirulence gene homolog, S4
Xia, J. Q., S100, S126
Xiao, C. L., 1046, 1108, S100
Xie, W., S113
Xiong, Y., S132
Xiong, Z., S1, S51, S96
Xiphinema spp.
—*X. americanum*: tobacco ringspot virus, localization, 885; transmission-related virus attachment, monitoring, S94
—*X. index*, grapevine fanleaf virus vector, maintenance in culture, S100
Xu, M. Q., S40
Xu, X. L., S100
Xu, X.-M., 1000
Xu, Z., S100
Xue, B., S49
Xue, L., 359
Xylella fastidiosa
—detection, S5
—on grape, detection with culture, ELISA, and PCR, S83

Yan, J., S69
Yan, Z., S100
Yang, B., S101
Yang, C.-H., 330
Yang, D. Q., S30, S101
Yang, J., S101
Yang, S. M., S101
Yang, X. B., 490, 592, S21, S36, S78, S87, S96, S101, S110, S111, S113, S115, S118
Yang, Y., S95, S101
Yang, Z., S52
Yao, M. K., S102
Yates, D., S70
Ye, F., 1351, S95
Yeh, S.-D., 351, S54
Yelle, S., S102
Yoshimura, M. A., S102
Yot, P., S58
Young, N. D., S16
Young, R. J., S129
Young, S. A., S38, S117
Young, T., S2
Yu, H.-H., S102
Yu, J. (Okla.), S102
Yu, J. (La.), S98
Yu, W. J., S114
Yuen, G., S69, S102, S103, S119
Yuen, J. M. F., S67

Zack, J. W., S57
Zadoks, J. C., 754
Zaitlin, M., S98
Zambino, P. J., S102
Zang, L., S81, S103
Zavala, M. E., 292
Zavaleta-Mejía, E., S67, S68
Zehnder, G. W., S65, S82
Zeigler, R. S., 223, S19
Zelcer, A., 1101
Zeller, K. A., S103
Zemetra, R. S., S59
Zeyen, R. J., S50, S103
Zhan, J., 1330
Zhang, A. W., 1306
Zhang, J., S84
Zhang, J. X., S12, S62, S103, S122
Zhang, L., S119
Zhang, S., S103
Zhang, W., 450
Zhang, X., S44
Zhang, Y.-P., 1231, 1238
Zhang, Z., 730, S69, S103, S119
Zhao, G., S23
Zhao, Y., S103
Zhao, Y. F., S104
Zheng, J., S38, S47
Zheng, X. Y., S104
Zhong, B., S69
Zhong, H., S84
Zhou, T., 788, S104
Zhou, X. G., S104
Zhu, H., S104
Zhu, H. Y., S49
Zhu, W.-G., S101
Zhu, Y., S69
Zidack, N. K., S104
Ziegler, A., 230, 1302
Zijlstra, C., 658
Zitko, S. E., 1218, S104
Zitter, T. A., S104
Zuccini yellow mosaic virus, mobility analysis and coat protein variability, S54
Zwankhuizen, M. J., 754